

# Sensorless 120-degree conducting control of permanent magnetic synchronous motor

For Renesas Flexible Motor Control Series

---

## Abstract

This application note describes the sample program for a permanent magnetic synchronous motor drive with 120-degree conducting method based on Renesas microcontroller. This application note also describes how to use the motor control development support tool, 'Renesas Motor Workbench'.

The targeted software for this application note is only to be used as reference purposes only and Renesas Electronics Corporation does not guarantee the operations. Please use this after carrying out a thorough evaluation in a suitable environment.

## Operation checking device

Operations of the target software of this application note are checked by using the following device.

- RA6T2 (R7FA6T2BD3CFP)
- RA6T3 (R7FA6T3BB3CFM)
- RA4T1 (R7FA4T1BB3CFM)
- RA8T1 (R7FA8T1AHECBD)

## Target software

The following shows the target software for this application:

- RA6T2\_MCILV1\_SPM\_LESS\_120\_E2S\_V110
- RA6T3\_MCILV1\_SPM\_LESS\_120\_E2S\_V100
- RA4T1\_MCILV1\_SPM\_LESS\_120\_E2S\_V100
- RA8T1\_MCILV1\_SPM\_LESS\_120\_E2S\_V100

## Contents

1. Overview.....	4
2. Development environment.....	4
2.1 Operation check environment .....	4
2.2 Hardware specifications .....	5
2.2.1 Hardware configuration diagram .....	5
2.2.2 Board user interface .....	6
2.2.3 Peripheral functions.....	7
2.3 Software structure .....	29
2.3.1 Software file structure.....	29
2.3.2 Module configuration .....	31
2.4 Software specifications.....	32
2.5 Interrupt priority .....	33
3. Descriptions of the control software .....	35
3.1 Contents of control .....	35
3.1.1 Motor start / stop .....	35
3.1.2 A/D converter .....	35
3.1.3 Speed control .....	36
3.1.4 Voltage control by PWM.....	37
3.1.5 State transition .....	39
3.1.6 Start-up method in sensorless control.....	40
3.1.7 System protection function .....	41
3.1.8 AD triggers.....	42
3.2 Function specifications of 120-degree conducting control software .....	43
3.3 Contents of control .....	55
3.3.1 Configuration Options.....	55
3.3.2 Configuration Options for included modules .....	55
3.4 Control flows (flow charts).....	61
3.4.1 Main process .....	61
3.4.2 Current Control Periodic interrupt (carrier periodic interrupt) handling .....	62
3.4.3 Speed Control periodic interrupt handling.....	63
3.4.4 Overcurrent interrupt handling.....	64
4. Evaluation environment explanation.....	65
4.1 Project import .....	65
4.2 Build and debug.....	66
4.3 Quick start .....	67
4.4 Motor Control Development Support Tool, 'Renesas Motor Workbench' .....	68
4.4.1 Overview.....	68
4.4.2 Easy function operation example .....	69
4.4.3 List of variables for Analyzer function .....	71
4.4.4 Operation Example for Analyzer .....	72
4.4.5 Example of changing communication speed.....	74
4.4.6 How to use the built-in communication library.....	75

5. Reference document ..... 78

## 1. Overview

This application note explains how to implement the 120-degree conducting control sample program of permanent magnetic synchronous motor (PMSM) using the RA series microcontroller and how to use the motor control development support tool, 'Renesas Motor Workbench'.

Note that this sample programs use the algorithm described in the application note '120-degree conducting control of permanent magnetic synchronous motor: algorithm' (R01AN2657).

## 2. Development environment

### 2.1 Operation check environment

**Table 2-1** and

**Table 2-2** show the development environment of software targeted by this application note.

**Table 2-1 Hardware development environment**

Classification	Product used
Microcomputer / CPU board P/N	RA6T2 (R7FA6T2BD3CFP) / RTK0EMA270C00000BJ RA4T1 (R7FA4T1BB3CFM) / RTK0EMA430C00000BJ RA6T3 (R7FA6T3BB3CFM) / RTK0EMA330C00000BJ RA8T1(R7FA8T1AHECBD) / RTK0EMA5K0C00000BJ
Inverter board	MCI-LV-1 / RTK0EM0000S04020BJ
motor	R42BLD30L3 (manufactured by MOONS')

**Table 2-2 Software development environment**

e <sup>2</sup> studio version	FSP version	Toolchain version
e <sup>2</sup> studio : 2023-10	V5.1.0	GCC ARM Embedded : 10.3.1.20210824(RA6T2,RA6T3,RA4T1) 13.2.1.arm-13-7 (RA8T1)

For purchase and technical support contact, Sales representatives and dealers of Renesas Electronics Corporation.

## 2.2 Hardware specifications

### 2.2.1 Hardware configuration diagram




Figure 2-1 Hardware Configuration Diagram

## 2.2.2 Board user interface

Table 2-3 is lists of user interfaces of this system.

Table 2-3 Board user interface

Item	Interface component	Function
Rotation speed	Variable resistance(VR1)	Rotation speed command value input(analog values)
START / STOP	Toggle switch(SW1)	Motor rotation start/stop command
ERROR RESET	Push switch (SW2)	Command of recovery from error status
LED1	Yellow green LED	- At the time of Motor rotation : ON - At the time of stop : OFF
LED2	Yellow green LED	- At the time of error detection : ON - At the time of normal operation : OFF
LED3	Yellow green LED	Not used in this system
RESET	Push switch(SW1)	System reset

List of port interfaces of this system is given in Table 2-4.

Table 2-4 Port Interface

Function	RA6T2	RA4T1	RA6T3	RA8T1
Inverter bus voltage measurement	PA06 / AN006	P004 / AN004	P004 / AN004	P008 / AN008
For rotation speed command value input (analog value)	PB00 / AN008	P005 / AN005	P005 / AN005	P014 / AN007
START/STOP toggle switch (SW1)	PD04	P304	P304	PA15
ERROR RESET push switch (SW2)	PD07	P200	P200	PA13
LED1 ON/OFF control	PD01	P113	P113	PA12
LED2 ON/OFF control	PD02	P106	P106	PA14
U phase current measurement	PA04 / AN004	P000 / AN000	P000 / AN000	P004 / AN000
V phase current measurement	PA02 / AN002	P001 / AN001	P001 / AN001	P005 / AN001
W phase current measurement	PA00 / AN000	P002 / AN002	P002 / AN002	P006 / AN002
U phase voltage measurement	PA07 / AN007	P500 / AN016	P500 / AN016	P011 / AN106
V phase voltage measurement	PA03 / AN003	P014 / AN012	P014 / AN012	P010 / AN005
W phase voltage measurement	PA01 / AN001	P013 / AN011	P013 / AN011	P015 / AN105
PWM output (U <sub>p</sub> )	PB04 / GTIOC4A	P409 / GTIOC1A	P409 / GTIOC1A	P115 / GTIOC5A
PWM output (V <sub>p</sub> )	PB06 / GTIOC5A	P103 / GTIOC2A	P103 / GTIOC2A	P113 / GTIOC2A
PWM output (W <sub>p</sub> )	PB08 / GTIOC6A	P111 / GTIOC3A	P111 / GTIOC3A	P300 / GTIOC3A
PWM output (U <sub>n</sub> )	PB05 / GTIOC4B	P408 / GTIOC1B	P408 / GTIOC1B	P609 / GTIOC5B
PWM output (V <sub>n</sub> )	PB07 / GTIOC5B	P102 / GTIOC2B	P102 / GTIOC2B	P114 / GTIOC2B
PWM output (W <sub>n</sub> )	PB09 / GTIOC6B	P112 / GTIOC3B	P112 / GTIOC3B	P112 / GTIOC3B
PWM emergency stop input at the time of overcurrent detection	PC13 / GTETRGD	P104 / GTETRGB	P104 / GTETRGB	P613 / GTETRGA

### 2.2.3 Peripheral functions

Table 2-5 is a list of peripheral functions used in this system.

**Table 2-5 Peripheral Functions List**

Peripheral	Purpose	RA6T2	RA4T1	RA6T3	RA8T1
12-bit A/D Converter	U phase current measurement	AN004	AN000	AN000	AN000
	V phase current measurement	AN002	AN001	AN001	AN001
	W phase current measurement	AN000	AN002	AN002	AN002
	U phase voltage measurement	AN007	AN016	AN016	AN106
	V phase voltage measurement	AN003	AN012	AN012	AN005
	W phase voltage measurement	AN001	AN011	AN011	AN105
	Inverter bus voltage measurement	AN006	AN004	AN004	AN008
	For rotation speed command value input (analog value)	AN008	AN005	AN005	AN007
AGT	Speed control interval timer	AGT0	AGT0	AGT0	AGT0
	Free run timer for rotation speed measurement	-	AGT1	AGT1	-
GPT	U phase PWM output	CH4	CN1	CN1	CH5
	V phase PWM output	CH5	CN2	CN2	CH2
	W phase PWM output	CH6	CN3	CN3	CH3
	Free run timer for rotation speed measurement	CH0	-	-	CH0
POEG	PWM emergency stop input at the time of overcurrent detection	Group D	Group B	Group B	Group A

#### 2.2.3.1 RA6T2

##### (1). 12-bit A/D converter(ADC)

U-phase current ( $I_u$ ), V-phase current ( $I_v$ ), W-phase current ( $I_w$ ), the rotation speed command value input, U-phase voltage ( $V_u$ ), V-phase voltage ( $V_v$ ), W-phase voltage ( $V_w$ ), and inverter bus voltage ( $V_{dc}$ ) are measured by using the '12-bit A/D converter'.

The operation modes must be set to the 'Single scan mode'(use a hardware trigger).

##### (2). Low power consumption asynchronous general-purpose timer(AGT)

Used as a 1ms interval timer.

##### (3). General-purpose PWM timer(GPT)

On the channel 4, 5, and 6, output with dead time is performed by using the complementary PWM Output Operating Mode.

Channel 0 is used as a free run timer for speed measurement.

##### (4). Port output enable for GPT(POEG)

The ports executing PWM output are set to high impedance state when an overcurrent is detected(when the low level of the GTETRGD port is detected).




Figure 2-2 Overall FSP Stacks diagram

g_adc0 ADC Driver on r_adc_b		
Settings	Property	Value
API Info	▼ Common	
	Parameter Checking	Default (BSP)
	▼ Module g_adc0 ADC Driver on r_adc_b	
	▼ General	
	▼ Mode	
	ADC 0	Single Scan
	ADC 1	Single Scan
	> ADC Successive Approximation Time	
	> Synchronous Operation	
	> Calibration	
	> Sampling State Table	
	Name	g_adc0
	> Clock Configuration	
	▼ Interrupts	
	> Limiter Clip Priority	
	> Conversion Error Priority	
	> Overflow Priority	
	> Calibration End Priority	
	▼ Scan End Priority	
	Group 0	Priority 5
	Group 1	Disabled
	Group 2	Disabled
	Group 3	Disabled
	Group 4	Disabled
	Group 5 to 8	Disabled
	> FIFO Priorities	
	Callback	rm_motor_120_driver_cyclic
	> Sample and Hold	
	> User Offset Table	
	> User Gain Table	
	> Limiter Clipping	
	> Virtual Channels	
	> Scan Groups	

Figure 2-3 FSP configuration of ADC driver [1/4]



g_adc0 ADC Driver on r_adc_b		
Settings	Property	Value
API Info	Virtual Channels	
	Virtual Channel 0	
	Scan Group	Scan Group 0
	Channel Select	AN000
	Sampling State Table ID	Sampling State Entry 0
	Channel Gain Table	Disabled
	Channel Offset Table	Disabled
	Add/Average Mode	Disabled
	Add/Average Count	1-time conversion (Normal Conversion)
	Limit Clip Table Id	Disabled
	Conversion Resolution Format Select	12-bit Data Format
	Virtual Channel 1	
	Scan Group	Scan Group 0
	Channel Select	AN002
	Sampling State Table ID	Sampling State Entry 0
	Channel Gain Table	Disabled
	Channel Offset Table	Disabled
	Add/Average Mode	Disabled
	Add/Average Count	1-time conversion (Normal Conversion)
	Limit Clip Table Id	Disabled
	Conversion Resolution Format Select	12-bit Data Format
	Virtual Channel 2	
	Scan Group	Scan Group 0
	Channel Select	AN004
	Sampling State Table ID	Sampling State Entry 0
	Channel Gain Table	Disabled
	Channel Offset Table	Disabled
	Add/Average Mode	Disabled
	Add/Average Count	1-time conversion (Normal Conversion)
	Limit Clip Table Id	Disabled
	Conversion Resolution Format Select	12-bit Data Format
	Virtual Channel 3	
	Scan Group	Scan Group 1
	Channel Select	AN006
	Sampling State Table ID	Sampling State Entry 0
	Channel Gain Table	Disabled
	Channel Offset Table	Disabled
	Add/Average Mode	Disabled
	Add/Average Count	1-time conversion (Normal Conversion)
	Limit Clip Table Id	Disabled
Conversion Resolution Format Select	12-bit Data Format	

Figure 2-4 FSP configuration of ADC driver [2/4]

g_adc0 ADC Driver on r_adc_b		
Settings	Property	Value
API Info	<ul style="list-style-type: none"> <li>▼ Virtual Channel 4</li> </ul>	
	Scan Group	Scan Group 1
	Channel Select	AN008
	Sampling State Table ID	Sampling State Entry 0
	Channel Gain Table	Disabled
	Channel Offset Table	Disabled
	Add/Average Mode	Disabled
	Add/Average Count	1-time conversion (Normal Conversion)
	Limit Clip Table Id	Disabled
	Conversion Resolution Format Select	12-bit Data Format
	<ul style="list-style-type: none"> <li>▼ Virtual Channel 5</li> </ul>	
	Scan Group	Scan Group 1
	Channel Select	AN007
	Sampling State Table ID	Sampling State Entry 0
	Channel Gain Table	Disabled
	Channel Offset Table	Disabled
	Add/Average Mode	Disabled
	Add/Average Count	1-time conversion (Normal Conversion)
	Limit Clip Table Id	Disabled
	Conversion Resolution Format Select	12-bit Data Format
	<ul style="list-style-type: none"> <li>▼ Virtual Channel 6</li> </ul>	
	Scan Group	Scan Group 0
	Channel Select	AN003
	Sampling State Table ID	Sampling State Entry 0
	Channel Gain Table	Disabled
	Channel Offset Table	Disabled
	Add/Average Mode	Disabled
	Add/Average Count	1-time conversion (Normal Conversion)
	Limit Clip Table Id	Disabled
	Conversion Resolution Format Select	12-bit Data Format
	<ul style="list-style-type: none"> <li>▼ Virtual Channel 7</li> </ul>	
	Scan Group	Scan Group 0
	Channel Select	AN001
	Sampling State Table ID	Sampling State Entry 0
	Channel Gain Table	Disabled
	Channel Offset Table	Disabled
	Add/Average Mode	Disabled
	Add/Average Count	1-time conversion (Normal Conversion)
	Limit Clip Table Id	Disabled
	Conversion Resolution Format Select	12-bit Data Format

Figure 2-5 FSP configuration of ADC driver [3/4]




Figure 2-6 FSP configuration of ADC driver [4/4]




Figure 2-7 FSP configuration of AGT driver




Figure 2-8 FSP configuration of GPT driver(complementary PWM output)

g_timer4 Timer, General PWM (r_gpt)	
Property	Value
▼ Common	
Parameter Checking	Default (BSP)
Pin Output Support	Enabled with Extra Features
Write Protect Enable	Disabled
Clock Source	PCLKD
▼ Module g_timer4 Timer, General PWM (r_gpt)	
▼ General	
Name	g_timer4
Channel	0
Mode	🔒 Periodic
Period	0x10000000
Period Unit	Raw Counts
> Output	
> Input	
> Interrupts	
> Extra Features	
▼ Pins	
GTIOC0A	<unavailable>
GTIOC0B	<unavailable>

Figure 2-9 FSP configuration of GPT driver (free run timer for speed measurement)

g_poeg0 Port Output Enable for GPT (r_poeg)	
Property	Value
▼ Common	
Parameter Checking	Default (BSP)
▼ Module g_poeg0 Port Output Enable for GPT (r_poeg)	
▼ General	
▼ Trigger	
GTETRG Pin	<input checked="" type="checkbox"/>
GPT Output Level	<input type="checkbox"/>
Oscillation Stop	<input type="checkbox"/>
ACMPHS0	<input type="checkbox"/>
ACMPHS1	<input type="checkbox"/>
ACMPHS2	<input type="checkbox"/>
ACMPHS3	<input type="checkbox"/>
Name	g_poeg0
Channel	3
▼ Input	
GTETRG Polarity	Active Low
GTETRG Noise Filter	PCLKB/32
▼ Interrupts	
Callback	g_poe_overcurrent
Interrupt Priority	Priority 0 (highest)

Figure 2-10 FSP configuration of POEG driver

### 2.2.3.2 RA4T1

(1). 12-bit A/D converter(ADC12)

U-phase current (Iu), V-phase current (Iv), W-phase current (Iw), the rotation speed command value input, U-phase voltage(Vu), V-phase voltage(Vv) W-phase voltage(Vw), and inverter bus voltage(Vdc) are measured by using the '12-bit A/D converter'.

The operation modes must be set to the 'Single scan mode'(use a hardware trigger).

(2). Low power consumption asynchronous general-purpose timer(AGT)

Used as a 1ms interval timer.

Channel 1 is used as a free run timer for speed measurement.

(3). General-purpose PWM timer(GPT)

On the channel 1, 2, and 3, output with dead time is performed by using the complementary PWM Output Operating Mode.

(4). Port output enable for GPT(POEG)

The ports executing PWM output are set to high impedance state when an overcurrent is detected(when the low level of the GTETRGB port is detected).




Figure 2-11 Overall FSP Stacks diagram

g_adc0 ADC (r_adc)		
Settings	Property	Value
API Info	▼ Common	
	Parameter Checking	Default (BSP)
	▼ Module g_adc0 ADC (r_adc)	
	▼ General	
	Name	g_adc0
	Unit	0
	Resolution	🔒 12-Bit
	Alignment	🔒 Right
	Clear after read	🔒 Off
	Mode	🔒 Single Scan
	Double-trigger	Disabled
	> Input	
	▼ Interrupts	
	Normal/Group A Trigger	GPT1 COUNTER UNDERFLOW (Underflow)
	Group B Trigger	Disabled
	Group Priority (Valid only in Group Scan Mode)	Group A cannot interrupt Group B
	Callback	🔒 rm_motor_120_driver_cyclic
	Scan End Interrupt Priority	Priority 5
	Scan End Group B Interrupt Priority	Disabled
	Window Compare A Interrupt Priority	Disabled
Window Compare B Interrupt Priority	Disabled	
> Extra		

Figure 2-12 FSP configuration of ADC driver [1/2]

g_adc0 ADC (r_adc)																																																																										
Settings	Property	Value																																																																								
API Info	<ul style="list-style-type: none"> <li>▼ Module g_adc0 ADC (r_adc)               <ul style="list-style-type: none"> <li>&gt; General</li> <li>▼ Input                   <ul style="list-style-type: none"> <li>▼ Channel Scan Mask (channel availability varies by MCU)                       <table border="0" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding-left: 20px;">Channel 0</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 1</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 2</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 3</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 4</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 5</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 6</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 7</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 8</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 9</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 10</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 11</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 12</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 13</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 14</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 15</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 16</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 17</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 18</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 19</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 20</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 21</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 22</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 23</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 24</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 25</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 26</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 27</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Temperature Sensor</td><td style="text-align: right;"><input type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Voltage Sensor</td><td style="text-align: right;"><input type="checkbox"/></td></tr> </table></li></ul> </li> <li>&gt; Group B Scan Mask (channel availability varies by MCU)</li> <li>&gt; Addition/Averaging Mask (channel availability varies by MCU and unit)</li> <li>▼ Sample and Hold                   <ul style="list-style-type: none"> <li>▼ Sample and Hold Channels (Available only on selected MCUs)                       <table border="0" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding-left: 20px;">Channel 0</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 1</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> <tr><td style="padding-left: 20px;">Channel 2</td><td style="text-align: right;"><input checked="" type="checkbox"/></td></tr> </table> </li> <tr><td style="padding-left: 20px;">Sample Hold States (Applies only to channels 0, 1, 2)</td><td style="text-align: right;">24</td></tr> </ul> </li> <li>&gt; Window Compare                   <table border="0" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding-left: 20px;">Add/Average Count</td><td style="text-align: right;">🔒 Disabled</td></tr> <tr><td style="padding-left: 20px;">Reference Voltage control</td><td style="text-align: right;">🔒 VREFH0/VREFH</td></tr> </table> </li> <li>&gt; Interrupts</li> <li>&gt; Extra</li> </ul> </li> </ul>	Channel 0	<input checked="" type="checkbox"/>	Channel 1	<input checked="" type="checkbox"/>	Channel 2	<input checked="" type="checkbox"/>	Channel 3	<input type="checkbox"/>	Channel 4	<input checked="" type="checkbox"/>	Channel 5	<input checked="" type="checkbox"/>	Channel 6	<input type="checkbox"/>	Channel 7	<input type="checkbox"/>	Channel 8	<input type="checkbox"/>	Channel 9	<input type="checkbox"/>	Channel 10	<input type="checkbox"/>	Channel 11	<input checked="" type="checkbox"/>	Channel 12	<input checked="" type="checkbox"/>	Channel 13	<input type="checkbox"/>	Channel 14	<input type="checkbox"/>	Channel 15	<input type="checkbox"/>	Channel 16	<input checked="" type="checkbox"/>	Channel 17	<input type="checkbox"/>	Channel 18	<input type="checkbox"/>	Channel 19	<input type="checkbox"/>	Channel 20	<input type="checkbox"/>	Channel 21	<input type="checkbox"/>	Channel 22	<input type="checkbox"/>	Channel 23	<input type="checkbox"/>	Channel 24	<input type="checkbox"/>	Channel 25	<input type="checkbox"/>	Channel 26	<input type="checkbox"/>	Channel 27	<input type="checkbox"/>	Temperature Sensor	<input type="checkbox"/>	Voltage Sensor	<input type="checkbox"/>	Channel 0	<input checked="" type="checkbox"/>	Channel 1	<input checked="" type="checkbox"/>	Channel 2	<input checked="" type="checkbox"/>	Sample Hold States (Applies only to channels 0, 1, 2)	24	Add/Average Count	🔒 Disabled	Reference Voltage control	🔒 VREFH0/VREFH	
Channel 0	<input checked="" type="checkbox"/>																																																																									
Channel 1	<input checked="" type="checkbox"/>																																																																									
Channel 2	<input checked="" type="checkbox"/>																																																																									
Channel 3	<input type="checkbox"/>																																																																									
Channel 4	<input checked="" type="checkbox"/>																																																																									
Channel 5	<input checked="" type="checkbox"/>																																																																									
Channel 6	<input type="checkbox"/>																																																																									
Channel 7	<input type="checkbox"/>																																																																									
Channel 8	<input type="checkbox"/>																																																																									
Channel 9	<input type="checkbox"/>																																																																									
Channel 10	<input type="checkbox"/>																																																																									
Channel 11	<input checked="" type="checkbox"/>																																																																									
Channel 12	<input checked="" type="checkbox"/>																																																																									
Channel 13	<input type="checkbox"/>																																																																									
Channel 14	<input type="checkbox"/>																																																																									
Channel 15	<input type="checkbox"/>																																																																									
Channel 16	<input checked="" type="checkbox"/>																																																																									
Channel 17	<input type="checkbox"/>																																																																									
Channel 18	<input type="checkbox"/>																																																																									
Channel 19	<input type="checkbox"/>																																																																									
Channel 20	<input type="checkbox"/>																																																																									
Channel 21	<input type="checkbox"/>																																																																									
Channel 22	<input type="checkbox"/>																																																																									
Channel 23	<input type="checkbox"/>																																																																									
Channel 24	<input type="checkbox"/>																																																																									
Channel 25	<input type="checkbox"/>																																																																									
Channel 26	<input type="checkbox"/>																																																																									
Channel 27	<input type="checkbox"/>																																																																									
Temperature Sensor	<input type="checkbox"/>																																																																									
Voltage Sensor	<input type="checkbox"/>																																																																									
Channel 0	<input checked="" type="checkbox"/>																																																																									
Channel 1	<input checked="" type="checkbox"/>																																																																									
Channel 2	<input checked="" type="checkbox"/>																																																																									
Sample Hold States (Applies only to channels 0, 1, 2)	24																																																																									
Add/Average Count	🔒 Disabled																																																																									
Reference Voltage control	🔒 VREFH0/VREFH																																																																									

Figure 2-13 FSP configuration of ADC driver [2/2]



g_timer3 Timer, Low-Power (r_agt)		
Settings	Property	Value
API Info	<ul style="list-style-type: none"> <li>Common                             <ul style="list-style-type: none"> <li>Parameter Checking: Default (BSP)</li> <li>Pin Output Support: Disabled</li> <li>Pin Input Support: Disabled</li> </ul> </li> <li>Module g_timer3 Timer, Low-Power (r_agt)                             <ul style="list-style-type: none"> <li>General                                     <ul style="list-style-type: none"> <li>Name: g_timer3</li> <li>Channel: 0</li> <li>Mode:  Periodic</li> <li>Period: 1</li> <li>Period Unit: Milliseconds</li> <li>Count Source: PCLKB</li> </ul> </li> <li>Output</li> <li>Input</li> <li>Interrupts                                     <ul style="list-style-type: none"> <li>Callback:  rm_motor_120_control_sensorless_speed_cyclic</li> <li>Underflow Interrupt Priority: Priority 10</li> </ul> </li> </ul> </li> </ul>	

Figure 2-14 FSP configuration of AGT driver

g_timer4 Timer, Low-Power (r_agt)		
Settings	Property	Value
API Info	<ul style="list-style-type: none"> <li>Common                             <ul style="list-style-type: none"> <li>Parameter Checking: Default (BSP)</li> <li>Pin Output Support: Disabled</li> <li>Pin Input Support: Disabled</li> </ul> </li> <li>Module g_timer4 Timer, Low-Power (r_agt)                             <ul style="list-style-type: none"> <li>General                                     <ul style="list-style-type: none"> <li>Name: g_timer4</li> <li>Channel: 1</li> <li>Mode:  Periodic</li> <li>Period: 0xFFFFFFFF</li> <li>Period Unit: Raw Counts</li> <li>Count Source: PCLKB</li> </ul> </li> <li>Output</li> <li>Input</li> <li>Interrupts</li> </ul> </li> </ul>	

Figure 2-15 FSP Configuration of AGT Driver (free run timer for speed measurement)



### 2.2.3.3 RA6T3

#### (1). 12-bit A/D converter(ADC12)

U-phase current (Iu), V-phase current (Iv), W-phase current (Iw), the rotation speed command value input, U-phase voltage(Vu), V phase voltage(Vv) W phase voltage(Vw), and inverter bus voltage(Vdc) are measured by using the '12-bit A/D converter'.

The operation modes must be set to the 'Single scan mode'(use a hardware trigger).

#### (2). Low power consumption asynchronous general-purpose timer(AGT)

Used as a 1ms interval timer.

Channel 1 is used as a free run timer for speed measurement.

#### (3). General-purpose PWM timer(GPT)

On the channel 1, 2, and 3, output with dead time is performed by using the complementary PWM Output Operating Mode.

#### (4). Port output enable for GPT(POEG)

The ports executing PWM output are set to high impedance state when an overcurrent is detected(when the low level of the GTETRGB port is detected).




Figure 2-18 Overall FSP Stacks diagram

g_adc0 ADC (r_adc)		
Settings	Property	Value
API Info	▼ Common	
	Parameter Checking	Default (BSP)
	▼ Module g_adc0 ADC (r_adc)	
	▼ General	
	Name	g_adc0
	Unit	0
	Resolution	🔒 12-Bit
	Alignment	🔒 Right
	Clear after read	🔒 Off
	Mode	🔒 Single Scan
	Double-trigger	Disabled
	> Input	
	▼ Interrupts	
	Normal/Group A Trigger	GPT1 COUNTER UNDERFLOW (Underflow)
	Group B Trigger	Disabled
	Group Priority (Valid only in Group Scan Mode)	Group A cannot interrupt Group B
	Callback	🔒 rm_motor_120_driver_cyclic
	Scan End Interrupt Priority	Priority 5
	Scan End Group B Interrupt Priority	Disabled
	Window Compare A Interrupt Priority	Disabled
Window Compare B Interrupt Priority	Disabled	
> Extra		

Figure 2-19 FSP configuration of ADC driver [1/2]

g_adc0 ADC (r_adc)		
Settings	Property	Value
API Info	<ul style="list-style-type: none"> <li>▼ Module g_adc0 ADC (r_adc)</li> <li>  &gt; General</li> <li>  ▼ Input</li> <li>    ▼ Channel Scan Mask (channel availability varies by MCU)</li> <li>      Channel 0 <input checked="" type="checkbox"/></li> <li>      Channel 1 <input checked="" type="checkbox"/></li> <li>      Channel 2 <input checked="" type="checkbox"/></li> <li>      Channel 3 <input type="checkbox"/></li> <li>      Channel 4 <input checked="" type="checkbox"/></li> <li>      Channel 5 <input checked="" type="checkbox"/></li> <li>      Channel 6 <input type="checkbox"/></li> <li>      Channel 7 <input type="checkbox"/></li> <li>      Channel 8 <input type="checkbox"/></li> <li>      Channel 9 <input type="checkbox"/></li> <li>      Channel 10 <input type="checkbox"/></li> <li>      Channel 11 <input checked="" type="checkbox"/></li> <li>      Channel 12 <input checked="" type="checkbox"/></li> <li>      Channel 13 <input type="checkbox"/></li> <li>      Channel 14 <input type="checkbox"/></li> <li>      Channel 15 <input type="checkbox"/></li> <li>      Channel 16 <input checked="" type="checkbox"/></li> <li>      Channel 17 <input type="checkbox"/></li> <li>      Channel 18 <input type="checkbox"/></li> <li>      Channel 19 <input type="checkbox"/></li> <li>      Channel 20 <input type="checkbox"/></li> <li>      Channel 21 <input type="checkbox"/></li> <li>      Channel 22 <input type="checkbox"/></li> <li>      Channel 23 <input type="checkbox"/></li> <li>      Channel 24 <input type="checkbox"/></li> <li>      Channel 25 <input type="checkbox"/></li> <li>      Channel 26 <input type="checkbox"/></li> <li>      Channel 27 <input type="checkbox"/></li> <li>      Temperature Sensor <input type="checkbox"/></li> <li>      Voltage Sensor <input type="checkbox"/></li> <li>    &gt; Group B Scan Mask (channel availability varies by MCU)</li> <li>    &gt; Addition/Averaging Mask (channel availability varies by MCU and unit)</li> <li>    ▼ Sample and Hold</li> <li>      ▼ Sample and Hold Channels (Available only on selected MCUs)</li> <li>        Channel 0 <input checked="" type="checkbox"/></li> <li>        Channel 1 <input checked="" type="checkbox"/></li> <li>        Channel 2 <input checked="" type="checkbox"/></li> <li>        Sample Hold States (Applies only to channels 0, 1, 2) 24</li> <li>    &gt; Window Compare</li> <li>      Add/Average Count <input type="checkbox"/> Disabled</li> <li>      Reference Voltage control <input type="checkbox"/> VREFH0/VREFH</li> <li>    &gt; Interrupts</li> <li>    &gt; Extra</li> </ul>	

Figure 2-20 FSP configuration of ADC driver [2/2]

g_timer3 Timer, Low-Power (r_agt)		
Settings	Property	Value
API Info	▼ Common	
	Parameter Checking	Default (BSP)
	Pin Output Support	Disabled
	Pin Input Support	Disabled
	▼ Module g_timer3 Timer, Low-Power (r_agt)	
	▼ General	
	Name	g_timer3
	Channel	0
	Mode	🔒 Periodic
	Period	1
	Period Unit	Milliseconds
	Count Source	PCLKB
	> Output	
	> Input	
	▼ Interrupts	
	Callback	🔒 rm_motor_120_control_sensorless_speed_cyclic
	Underflow Interrupt Priority	Priority 10

Figure 2-21 FSP configuration of AGT driver

g_timer4 Timer, Low-Power (r_agt)		
Settings	Property	Value
API Info	▼ Common	
	Parameter Checking	Default (BSP)
	Pin Output Support	Disabled
	Pin Input Support	Disabled
	▼ Module g_timer4 Timer, Low-Power (r_agt)	
	▼ General	
	Name	g_timer4
	Channel	1
	Mode	🔒 Periodic
	Period	0xFFFFFFFF
	Period Unit	Raw Counts
	Count Source	PCLKB
	> Output	
	> Input	
	> Interrupts	

Figure 2-22 FSP Configuration of AGT Driver (free run timer for speed measurement)

g_timer0 Timer, General PWM (r_gpt)		
Settings	Property	Value
API Info	▼ Common	
	Parameter Checking	Default (BSP)
	Pin Output Support	Enabled with Extra Features
	Write Protect Enable	Disabled
	Clock Source	PCLKD
	▼ Module g_timer0 Timer, General PWM (r_gpt)	
	▼ General	
	Name	g_timer0
	Channel	1
	Mode	Triangle-Wave Symmetric PWM
	Period	50
	Period Unit	Microseconds
	▼ Output	
	> Custom Waveform	
	Duty Cycle Percent (only applicable in PWM mode)	50
	GTIOCA Output Enabled	True
	GTIOCA Stop Level	Pin Level Low
	GTIOCB Output Enabled	True
	GTIOCB Stop Level	Pin Level High
	> Input	
	> Interrupts	
	▼ Extra Features	
	> Output Disable	
	▼ ADC Trigger	
	▼ Start Event Trigger (Channels with GTINTAD only)	
	Trigger Event A/D Converter Start Request A During Up Counting	<input type="checkbox"/>
	Trigger Event A/D Converter Start Request A During Down Counting	<input type="checkbox"/>
	Trigger Event A/D Converter Start Request B During Up Counting	<input type="checkbox"/>
	Trigger Event A/D Converter Start Request B During Down Counting	<input type="checkbox"/>
	> Dead Time	
	> ADC Trigger (Channels with GTADTRA only)	
	> ADC Trigger (Channels with GTADTRB only)	
	> Interrupt Skipping (Channels with GTITC only)	
	Extra Features	Enabled

Figure 2-23 FSP Configuration of GPT Driver

g_poeg0 Port Output Enable for GPT (r_poeg)		
Settings	Property	Value
API Info	▼ Common	
	Parameter Checking	Default (BSP)
	▼ Module g_poeg0 Port Output Enable for GPT (r_poeg)	
	▼ General	
	▼ Trigger	
	GTETRG Pin	<input checked="" type="checkbox"/>
	GPT Output Level	<input type="checkbox"/>
	Oscillation Stop	<input type="checkbox"/>
	ACMPHS0	<input type="checkbox"/>
	ACMPHS1	<input type="checkbox"/>
	ACMPHS2	<input type="checkbox"/>
	Name	g_poeg0
	Channel	1
	▼ Input	
	GTETRG Polarity	Active Low
	GTETRG Noise Filter	PCLKB/32
	▼ Interrupts	
	Callback	g_poe_overcurrent
	Interrupt Priority	Priority 0 (highest)

Figure 2-24 FSP configuration of POEG driver

### 2.2.3.4 RA8T1

(1). 12-bit A/D converter(ADC12)

U-phase current (Iu), V-phase current (Iv), W-phase current (Iw), the rotation speed command value input, U-phase voltage(Vu), V phase voltage(Vv) W phase voltage(Vw), and inverter bus voltage(Vdc) are measured by using the '12-bit A/D converter'.

The operation modes must be set to the 'Single scan mode'(use a hardware trigger).

(2). Low power consumption asynchronous general-purpose timer(AGT)

Used as a 1ms interval timer.

(3). General-purpose PWM timer(GPT)

On the channel 5, 2, and 3, output with dead time is performed by using the complementary PWM Output Operating Mode.

Channel 0 is used as a free run timer for speed measurement.

(4). Port output enable for GPT(POEG)

The ports executing PWM output are set to high impedance state when an overcurrent is detected(when the low level of the GTETRGA port is detected).




Figure 2-25 Overall FSP Stacks diagram






Figure 2-26 FSP configuration of ADC driver [1/4]




Figure 2-27 FSP configuration of ADC driver [2/4]




Figure 2-28 FSP configuration of ADC driver [3/4]




Figure 2-29 FSP configuration of ADC driver [4/4]




Figure 2-30 FSP configuration of AGT driver




Figure 2-31 FSP configuration of GPT driver(complementary PWM output)




Figure 2-32 FSP configuration of GPT driver (free run timer for speed measurement)




Figure 2-33 FSP configuration of POEG driver

## 2.3 Software structure

### 2.3.1 Software file structure

The folder and file configurations of the sample programs are given below.

**Table 2-6 File and folder configuration[1/2]**

Folder	Subfolder	File	Remarks	
ra_cfg			Generated config header	
ra_gen			Generated register setting, main function etc.	
ra	arm		CMSIS source code	
	board		Function definition for board	
	fsp/inc/api	bsp_api.h		BSP API definition
		r_adc_api.h		AD API definition
		r_elc_api.h(Only RA4T1, RA6T3 and RA8T1)		ELC API definition
		r_ioport_api.h		I/O API definition
		r_poeg_api.h		POEG API definition
		r_three_phase_api.h		3phase PWM API definition
		r_timer_api.h		Timer API definition
		r_transfer_api.h		Transfer API definition
		rm_motor_120_control_api.h		120-degree conduction control API definition
		rm_motor_120_driver_api.h		120-degree conduction control driver API definition
		rm_motor_angle_api.h		Angle API definition
		rm_motor_api.h		Motor API definition
		rm_motor_current_api.h		Current API definition
		rm_motor_driver_api.h		Motor driver API definition
		rm_motor_position_api.h		Position API definition
		rm_motor_speed_api.h		Speed API definition
	fsp/inc/instances	r_adc_b.h(RA6T2)		Function definition for AD
		r_adc.h(RA4T1, RA6T3 and RA8T1)		Function definition for AD
		r_agt.h		Function definition for AGT
		r_elc.h(Only RA4T1, RA6T3 and RA8T1)		Function definition for ELC
		r_gpt_three_phase.h		Function definition for 3 Phase PWM
		r_gpt.h		Function definition for GPT
		r_ioport.h		Function definition for I/O
		r_poeg.h		Function definition for POEG
		rm_motor_120_control_sensorless.h		Sensorless 120-degree conduction control related definition
		rm_motor_120_degree.h		120-degree conduction control related definition
	rm_motor_120_driver.h		120-degree conduction control driver related definition	

Table 2-7 File and folder configuration[2/2]

Folder	Subfolder	File	Remarks
ra	fsp/src	bsp	BSP driver
		r_adc_b/r_adc_b.c(RA6T2)	AD driver
		r_adc/r_adc.c(RA4T1, RA6T3 and RA8T1)	
		r_agt/r_agt.c	AGT driver
		r_elc/r_elc.c(Only RA4T1, RA6T3 and RA8T1)	ELC driver
		r_gpt/r_gpt.c	GPT driver
		r_gpt_three_phase/ r_gpt_three_phase.c	3 phase PWM driver
		r_ioport/r_ioport.c	I/O driver
		r_poeg/r_poeg.c	POEG driver
		rm_motor_120_control_sensorless/ rm_motor_120_control_sensorless.c	Sensorless 120-degree conduction control
		rm_motor_120_degree/ rm_motor_120_degree.c	120-degree conduction control
rm_motor_120_driver/ rm_motor_120_driver.c	120-degree conduction control driver		
src	application/main	mtr_main.h , mtr_main.c	User main function
		r_mtr_control_parameter.h (Only RA4T1, RA6T3 and RA8T1)	Control parameters definition
		r_mtr_motor_parameter.h (Only RA4T1, RA6T3 and RA8T1)	Motor parameters definition
	application/user_interface/ics	r_mtr_ics.h , r_mtr_ics.c	Function definition for Analyzer
		ICS2_RA6T2.h , ICS2_RA4T1.h , ICS2_RA6T3.h , ICS2_RA4T1.h	Function definition for GUI tool
		ICS2_RA6T2.o , ICS2_RA4T1.o , ICS2_RA6T3.o , ICS2_RA8T1.o	Communication library for GUI tool

2.3.2 Module configuration

Figure 2-34 show module configuration of software.




Figure 2-34 Module Configuration

## 2.4 Software specifications

Table 2-8 shows the basic specifications of target software of this application note. For details of 120-degree conducting control, refer to the application note '120-degree conducting control of permanent magnetic synchronous motor: algorithm' (R01AN2657).

**Table 2-8 Basic Specifications of Software**

Item	Content
Control method	120-degree conducting control
Rotor magnetic pole position detection	Position detection by inductive voltage (by 60 degrees)
Motor rotation start/stop	SW1 input or input from 'Renesas Motor Workbench'
Input voltage	DC 24V
Main clock frequency	RA6T2: 240 [MHz] RA6T3: 200 [MHz] RA4T1: 100 [MHz] RA8T1: 480 [MHz]
Carrier frequency (PWM)	20 [kHz] (Carrier cycle : 50 [μs])
dead time	2 [μs]
Control frequency(Speed)	RA6T2: 1 [ms] RA6T3: 1 [ms] RA4T1: 1 [ms] RA8T1: 1 [ms]
Rotation speed control range	CW : 0 [rpm] ~ 2400 [rpm] CCW : 0 [rpm] ~ 2400 [rpm]
Compiler optimization settings	Optimization level   Optimize more(-O2) (default setting)
Processing stop for protection	Disables the motor control signal output (six outputs), under any of the following conditions. <ol style="list-style-type: none"> <li>1.Current of any phase exceeds <math>3.54(=1.67 \times \sqrt{2} \times 1.5)</math> [A]( monitored every current control cycle)</li> <li>2.Inverter bus voltage exceeds 60 [V] (monitored in current control period)</li> <li>3.Inverter bus voltage is less than 8 [V] (monitored in current control period)</li> <li>4.Rotation speed exceeds 4500 [rpm] (monitored in current control period)</li> <li>5.At the time of sensorless drive, zero-crossing is not detected for current control period</li> <li>6.Fault detection of virtual hall sensor pattern(position information)</li> </ol> <p>When an external over current signal is detected (when a low level is detected), the PWM output ports are set to high impedance state.</p>



## 2.5 Interrupt priority

The interrupts and priorities used in this system are shown below.

**Table 2-9 Interrupt priority**

Interrupt level	Priority	function
15		
14		
13		
12		
11		
10		AGT0 INT Speed control Interrupt
9		
8		
7		
6		
5		ADC0 ADI0(RA6T2) ADC0 SCAN END(RA4T1,RA6T3,RA8T1) A/D conversion complete interrupt
4		
3		
2		
1		
0		POEG3 EVENT(RA6T2) POEG1 EVENT(RA4T1,RA6T3) POEG0 EVENT(RA8T1) Over current error interrupt

Allocations		
Interrupt	Event	ISR
0	AGT0 INT (AGT interrupt)	agt_int_isr
1	ADC0 ADI0 (End of A/D scanning operation(Gr.0))	adc_b_adi0_isr
2	POEG3 EVENT (Port Output disable interrupt D)	poeg_event_isr

Figure 2-35 FSP Interrupts Configuration

Allocations		
Interru...	Event	ISR
0	AGT0 INT (AGT interrupt)	agt_int_isr
1	ADC0 SCAN END (A/D scan end interrupt)	adc_scan_end_isr
2	POEG1 EVENT (Port Output disable interrupt B)	poeg_event_isr

Figure 2-36 RA4T1/RA6T3 FSP Interrupts Configuration

Allocations		
Interrupt	Event	ISR
0	AGT0 INT (AGT interrupt)	agt_int_isr
1	ADC0 SCAN END (End of A/D scanning operation)	adc_scan_end_isr
2	POEG0 EVENT (Port Output disable interrupt A)	poeg_event_isr

Figure 2-37 RA8T1 FSP Interrupts Configuration

### 3. Descriptions of the control software

The target sample software of this application note is explained here.

#### 3.1 Contents of control

##### 3.1.1 Motor start / stop

Starting and stopping of the motor are controlled by input from 'Renesas Motor Workbench' or SW1.

A general-purpose port is assigned to SW1 and based upon its level the motor operation is controlled.

"High" level → Motor Start

"Low" level → Motor Stop

##### 3.1.2 A/D converter

###### (1). Motor rotation speed command value

The rotation speed command value of the motor is determined from the input from 'Renesas Motor Workbench' or the output value (analog value) of VR1. Rotation speed command value from VR1 is measured as shown in the table below.

**Table 3-1 Conversion Ratio of the Rotation Speed Command Value**

Item	Conversion ratio(Command value: A/D conversion value)	
Rotation speed command value	CW	0 [rpm]~2400[rpm] : 0800H~0FFFH
	CCW	0 [rpm]~2400[rpm] : 07FFH~0000H

###### (2). Inverter bus voltage

Inverter bus voltage is measured as shown in the table below. It is used for calculation of modulation rate and detection of overvoltage and undervoltage (PWM stops in case of abnormality).

**Table 3-2 Inverter Bus Voltage Conversion Ratio**

Item	Conversion ratio(Inverter bus voltage : A/D conversion value)
Inverter bus voltage	0 [V]~73.26 [V] : 0000H~0FFFH

###### (3). U, V, and W phase voltage

The U, V, and W phase voltages are measured as shown in Table 3-3 and used for determining zero-crossing.

**Table 3-3 Conversion Ratio of U, V, and W Phase Voltage**

Item	Conversion ratio(U, V, and W phase voltage : A/D conversion value)
U, V, and W phase voltage	0 [V]~73.26 [V] : 0000H~0FFFH

###### (4). U, V, and W phase current

The U, V and W phase currents are measured as shown in Table 3-4.

**Table 3-4 Conversion Ratio U, V, and W Phase Current**

Item	Conversion ratio(U, V, and W phase current : A/D conversion value)
U, V, and W phase current	-8.25 [A] to 8.25 [A]: 0000H to 0FFFH <sup>(Note)</sup>
	Current = (3.3V-1.65V)/(0.01Ohm * 20) =8.25A

### 3.1.3 Speed control

In this system, the motor rotation speed is calculated from a difference between the current timer value and the timer value  $2\pi$  [rad] before. The timer values are obtained from free run timer at every zero cross occurs. And values which are obtained last 6 times are used as period of  $2\pi$ .




Figure 3-1 Motor Rotation Speed Calculation Method

Speed control in the software targeted by this application note is performed by PI control. Obtain the voltage command value by the following speed control PI control.

$$v^* = (K_{P\omega} + \frac{K_{I\omega}}{s})(\omega^* - \omega)$$

$v^*$ : Voltage command value,  $\omega^*$ : Speed command value,  $\omega$ : Rotation speed

$K_{P\omega}$ : Speed PI proportional gain,  $K_{I\omega}$ : Speed PI integral gain,  $s$ : Laplace operator

### 3.1.4 Voltage control by PWM

PWM control is used for controlling output voltage. The PWM control is a control method that continuously adjusts the average voltage by varying the duty of pulse, as shown in Figure 3-2.




Figure 3-2 PWM Control

Here, modulation factor  $m$  is defined as follows.

$$m = \frac{V}{E}$$

$m$ : Modulation factor     $V$ : Command value voltage     $E$ : Inverter bus voltage

This modulation factor is reflected in the setting value of the register that determines the PWM duty.

In the target software of this application note, first-60-degree chopping is used to control the output voltage and speed. Figure 3-3 shows an example of motor control signal output waveforms at non-complimentary first 60-degree Chopping. Figure 3-4 shows an example of motor control signal output waveforms at Complimentary first 60-degree Chopping.




Figure 3-3 non-complimentary first 60-degree Chopping




Figure 3-4 Complimentary first 60-degree Chopping

### 3.1.5 State transition

Figure 3-5 show state transition diagrams of 120-degree conducting control software. In this application note target software, the status is managed by "SYSTEM MODE".




Figure 3-5 State Transition Diagram of Sensorless 120-degree Conducting Control Software

(1) SYSTEM MODE

Represents the operating status of the system. The state changes when each event (EVENT) occurs. The operating status of the system includes motor drive stop (INACTIVE), motor drive (ACTIVE), and abnormal status (ERROR).

(2) EVENT

When an EVENT occurs during each SYSTEM MODE, the system operating status changes as shown in the table in Fig. 35 according to the EVENT. The causes of each EVENT are as follows.

**Table 3-5 EVENT List**

Event	Occurrence factor
STOP	Caused by user operation.
RUN	Caused by user operation.
ERROR	Occurs when the system detects an anomaly.
RESET	Caused by user operation.

### 3.1.6 Start-up method in sensorless control

Sensorless 120-degree conducting control, to estimate the position of the magnetic poles of every 60 degrees in the induced voltage due to the change in the magnetic flux of the permanent magnet (rotor).

Therefore, as a start-up method, there is a method to lead the synchronous speed by generating a rotating magnetic field by forcibly switching conduction patterns regardless of position of the permanent magnet.

Figure 3-6 shows the start-up method in the sample software.




Figure 3-6 Start-up Method (Example)



### 3.1.7 System protection function

This system has the following six types of error status and enables emergency stop functions in case of occurrence of respective error. Refer to Table 3-6 for settings.

- Overcurrent error

There are two kind of overcurrent protection.

Hardware OCP: When emergency stop signal from the hardware is detected, PWM output ports are automatically set to high impedance output (without software intervention).

Software OCP: U, V, and W phase currents are monitored in over current monitoring cycle. When an over current is detected, the CPU executes emergency stop.

- Overvoltage error

The inverter bus voltage is monitored at the overvoltage monitoring cycle. When an over voltage is detected (when the voltage exceeds the limit value), CPU performs an emergency stop. The threshold value of the overvoltage is set in consideration of the error of resistance value of the detection circuit.

- Low voltage error

The inverter bus voltage is monitored at the low voltage monitoring cycle. When a low voltage is detected (when the voltage lowers the limit value), CPU performs an emergency stop. The threshold value of the low voltage is set in consideration of the error of resistance value of the detection circuit.

- Rotation speed abnormality error

The rotation speed is monitored at the rotation speed monitoring cycle. When the speed exceeds the limit value, CPU performs an emergency stop.

- Timeout error of zero-cross detection

When no pattern switching continues during the limit period, CPU performs an emergency stop.

- Virtual hall sensor pattern (position information) error

When an error is detected in virtual hall sensor patterns (position information) generated from each of U, V, and W phase voltage, CPU performs an emergency stop.

**Table 3-6 Setting Value of Each System Protection Function**

Error name	Threshold		Monitoring cycle
Overcurrent error	Over current limit [A]	3.54	Current control period
Overvoltage error	Over voltage limit [V]	60	Current control period
Low voltage error	Low voltage limit [V]	8	Current control period
Over speed error	Speed limit [rpm]	4500	Current control period
Timeout error of zero-cross detection	Timeout value [ms]	100	-

### 3.1.8 AD triggers

Shows the timing of AD triggers and scan groups.




Figure 3-1 AD trigger timing

### 3.2 Function specifications of 120-degree conducting control software

Multiple control functions are used in this control program.

**Table 3-7 List of Functions “mtr\_main.c” [1/2]**

File name	Function name	Process overview
mtr_main.c	mtr_init Input : None Output : None	Initialization process
	mtr_main Input : None Output : None	Main processing
	board_ui Input : None Output : None	Board user interface use
	ics_ui Input : None Output : None	GUI tool user interface use
	software_init Input : None Output : None	Initialization of variables used in the main process
	g_poe_overcurrent Input : (poeg_callback_args_t *) p_args / callback function parameter Output : None	POEG interrupt processing
	motor_fsp_init Input : None Output : None	FSP module initialization process
	mtr_callback_120_degree Input : (motor_callback_args_t *) p_args / callback function parameter Output : None	120 degree control callback function
	mtr_board_led_control Input : (uint8_t) u1_motor_status / motor status Output : None	LED pattern setting process
	mtr_remove_sw_chattering Input : (uint8_t) u1_sw / switch type (uint8_t) u1_on_off / ON/OFF state Output : (uint8_t) u1_remove_chattering_flg / 1:chattering completed, 0:during chattering	Switch chattering removal process
get_vr1 Input : None Output : None	Get the state of VR1	

**Table 3-8 List of Functions “mtr\_main.c” [2/2]**

File name	Function name	Process overview
mtr_main.c	get_sw1 Input : None Output : None	Get the status of SW1
	get_sw2 Input : None Output : None	Get the status of SW2
	led1_on Input : None Output : None	LED1 on
	led2_on Input : None Output : None	LED2 on
	led3_on Input : None Output : None	LED3 on
	led1_off Input : None Output : None	LED1 off
	led2_off Input : None Output : None	LED2 off
	led3_off Input : None Output : None	LED3 off

**Table 3-9 List of Functions “r\_mtr\_ics.c”**

File name	Function name	Process overview
r_mtr_ics.c	mtr_set_com_variables Input : None Output : None	Set value from GUI tool
	mtr_ics_variables_init Input : None Output : None	Initialization of variables used by GUI tool
	mtr_ics_interrupt_process Input : None Output : None	Reflect the set value in motor control

Table 3-10 List of Functions “rm\_motor\_120\_degree.c” [1/3]

File name	Function name	Process overview
rm_motor_120_degree.c	RM_MOTOR_120_DEGREE_Open Input : (motor_ctrl_t * const) p_ctrl / Instance parameter (motor_cfg_t const * const) p_cfg / configuration parameter Output : (fsp_err_t) err / Result	120-degree control start process
	RM_MOTOR_120_DEGREE_Close Input : (motor_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	120-degree control end process
	RM_MOTOR_120_DEGREE_Reset Input : (motor_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Error state reset process
	RM_MOTOR_120_DEGREE_Run Input : (motor_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Motor rotation start process
	RM_MOTOR_120_DEGREE_Stop Input : (motor_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Motor rotation stop process
	RM_MOTOR_120_DEGREE_ErrorSet Input : (motor_ctrl_t * const) p_ctrl / Instance parameter (motor_error_t const) error / error parameter Output : (fsp_err_t) err / Result	Error status setting process
	RM_MOTOR_120_DEGREE_SpeedSet Input : (motor_ctrl_t * const) p_ctrl / Instance parameter (float const) speed_rpm / Rotation speed command value [RPM] Output : (fsp_err_t) err / Result	Motor rotation command value setting process
	RM_MOTOR_120_DEGREE_StatusGet Input : (motor_ctrl_t * const) p_ctrl / Instance parameter (uint8_t * const) p_status / Motor control status Output : (fsp_err_t) err / Result	Acquisition of motor control status
	RM_MOTOR_120_DEGREE_SpeedGet Input : (motor_ctrl_t * const) p_ctrl / Instance parameter (float * const) p_speed_rpm / Rotation speed command value [RPM] Output : (fsp_err_t) err / Result	Motor rotation speed acquisition process
	RM_MOTOR_120_DEGREE_WaitStopFlagGet Input : (motor_ctrl_t * const) p_ctrl / Instance parameter (uint8_t * const) p_flg_wait_stop / Motor stopped state Output : (fsp_err_t) err / Result	Acquisition of motor stop state
RM_MOTOR_120_DEGREE_ErrorCheck Input : (motor_ctrl_t * const) p_ctrl / Instance parameter (uint16_t * const) p_error / Error status Output : (fsp_err_t) err / Result	Error check process	

Table 3-11 List of Functions “rm\_motor\_120\_degree.c” [2/3]

File name	Function name	Process overview
rm_motor_120_degree.c	rm_motor_120_degree_active Input : (motor_120_degree_instance_ctrl_t *) p_ctrl / Instance parameter Output : (uint8_t) err / Result	Motor rotation start process
	rm_motor_120_degree_inactive Input : (motor_120_degree_instance_ctrl_t *) p_ctrl / Instance parameter Output : (uint8_t) err / Result	Motor rotation stop process
	rm_motor_120_degree_nowork Input : (motor_120_degree_instance_ctrl_t *) p_ctrl / Instance parameter Output : (uint8_t) err / Result	Blank process
	rm_motor_120_degree_reset Input : (motor_120_degree_instance_ctrl_t *) p_ctrl / Instance parameter Output : (uint8_t) err / Result	Error state reset process
	rm_motor_120_degree_error Input : (motor_120_degree_instance_ctrl_t *) p_ctrl / Instance parameter Output : (uint8_t) err / Result	Post-processing in case of error
	rm_motor_120_degree_statemachine_init Input : (motor_120_degree_statemachine_t *) p_state_machine / State machine Output : None	State machine initialization process
	rm_motor_120_degree_statemachine_reset Input : (motor_120_degree_statemachine_t *) p_state_machine / State machine Output : None	State machine reset process
	rm_motor_120_degree_statemachine_event Input : (motor_120_degree_instance_ctrl_t *) p_ctrl / Instance parameter (motor_120_degree_ctrl_event_t) u1_event / event Output : None	State transition process
	rm_motor_check_over_speed_error Input : (float) f4_speed / Rotation speed [RPM] (float) f4_speed_limit / Rotation speed upper limit [RPM] Output : (uint16_t) u2_temp0 / Error flag	Overspeed error detection processing
	rm_motor_check_over_voltage_error Input : (float) f4_vdc / Inverter bus voltage [V] (float) f4_overnvoltage_limit / voltage upper limit [V] Output : (uint16_t) u2_temp0 / Error flag	Overvoltage error detection process
rm_motor_check_low_voltage_error Input : (float) f4_vdc / Inverter bus voltage [V] (float) f4_lowvoltage_limit / voltage lower limit [V] Output : (uint16_t) u2_temp0 / Error flag	Low voltage error detection process	

**Table 3-12 List of Functions “rm\_motor\_120\_degree.c” [3/3]**

File name	Function name	Process overview
rm_motor_120_degree.c	rm_motor_check_over_current_error Input : (float) f4_iu / U phase current [A] (float) f4_iv / V phase current [A] (float) f4_iw / W phase current [A] (float) f4_oc_limit / Current upper limit [A] Output : (uint16_t) u2_temp0 / Error flag	Overcurrent error detection process
	rm_motor_120_degree_error_check Input : (motor_120_degree_instance_ctrl_t *) p_ctrl / Instance parameter (float) f_iu / U phase current [A] (float) f_iv / V phase current [A] (float) f_iw / W phase current [A] (float) f_vdc / Inverter bus voltage[V] (float) f_speed / Rotation speed [RPM] Output : (uint16_t) u2_error_flags / Error flag	Error detection process
	rm_motor_120_degree_120_control_callback Input : (motor_120_control_callback_args_t *) p_args / Callback function parameter Output : None	120control module callback process



Table 3-13 List of Functions “rm\_motor\_120\_control\_sensorless.c” [1/4]

File name	Function name	Process overview
rm_motor_120_control_sensorless.c	RM_MOTOR_120_CONTROL_SENSORLESS_Open Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter (motor_120_control_cfg_t const * const) p_cfg / Configuration parameter Output : (fsp_err_t) err / Result	Sensorless control start process
	RM_MOTOR_120_CONTROL_SENSORLESS_Close Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Sensorless control end process
	RM_MOTOR_120_CONTROL_SENSORLESS_Run Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Motor rotation start process (sensorless control)
	RM_MOTOR_120_CONTROL_SENSORLESS_Stop Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Motor rotation stop process (sensorless control)
	RM_MOTOR_120_CONTROL_SENSORLESS_Reset Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Error state reset process
	RM_MOTOR_120_CONTROL_SENSORLESS_SpeedSet Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter (float const) speed_rpm / Rotation command value [RPM] Output : (fsp_err_t) err / Result	Motor rotation command value setting process
	RM_MOTOR_120_CONTROL_SENSORLESS_SpeedGet Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter (float * const) p_speed_rpm / Rotation speed value [RPM] Output : (fsp_err_t) err / Result	Motor rotation speed acquisition process
	RM_MOTOR_120_CONTROL_SENSORLESS_CurrentGet Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter (motor_120_driver_current_status_t * const) p_current_status / current status Output : (fsp_err_t) err / Result	Current and voltage data acquisition process
	RM_MOTOR_120_CONTROL_SENSORLESS_WaitStopFlagGet Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter (motor_120_control_wait_stop_flag_t * const) p_flag / Motor stopped state Output : (fsp_err_t) err / Result	Motor stop state acquisition process
	RM_MOTOR_120_CONTROL_SENSORLESS_TimeoutErrorFlagGet Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter (motor_120_control_timeout_error_flag_t * const) p_timeout_error_flag / Zero-cross detection timeout error status Output : (fsp_err_t) err / Result	Zero-cross detection timeout error status acquisition process

**Table 3-14 List of Functions “rm\_motor\_120\_control\_sensorless.c” [2/4]**

File name	Function name	Process overview
rm_motor_120_control_sensorless.c	RM_MOTOR_120_CONTROL_SENSORLESS_PatternErrorFlagGet Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter (motor_120_control_pattern_error_flag_t * const) p_pattern_error_flag / Virtual hall pattern error status Output : (fsp_err_t) err / Result	Virtual Hall sensor pattern error status acquisition process
	RM_MOTOR_120_CONTROL_SENSORLESS_VoltageRefGet Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter (motor_120_control_voltage_ref_t * const) p_voltage_ref / Voltage setting status Output : (fsp_err_t) err / Result	Obtain voltage setting status
	RM_MOTOR_120_CONTROL_SENSORLESS_ParameterUpdate Input : (motor_120_control_ctrl_t * const) p_ctrl / Instance parameter (motor_120_control_cfg_t const * const) p_cfg / Configuration parameter Output : (fsp_err_t) err / Result	Parameter update process
	rm_motor_120_control_sensorless_speed_cyclic Input : (timer_callback_args_t *) p_args / Callback function parameter Output : None	Callback function for speed control
	rm_motor_120_control_sensorless_driver_callback Input : (motor_120_driver_callback_args_t *) p_args / Callback function parameter Output : None	A/D conversion complete callback function
	rm_motor_120_control_sensorless_reset Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Instance parameter reset process
	rm_motor_120_control_sensorless_start_openloop Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Open loop start processing
	rm_motor_120_control_sensorless_ol_signal_set Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Voltage pattern setting process during open loop
	rm_motor_120_control_sensorless_speed_calc Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Rotation speed calculation process
	rm_motor_120_control_sensorless_generate_pattern Input : (float) vu_ad / U phase voltage (float) vv_ad / V phase voltage (float) vw_ad / W phase voltage (float) vn_ad / Midpoint voltage Output : (uint8_t) u1_temp / Voltage pattern	Voltage pattern generation process

**Table 3-15 List of Functions “rm\_motor\_120\_control\_sensorless.c” [3/4]**

File name	Function name	Process overview
rm_motor_120_control_sensorless.c	rm_motor_120_control_sensorless_set_angle_shift Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Calculation of phase shift amount
	rm_motor_120_control_sensorless_check_pattern Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Zero-cross judgment process
	rm_motor_120_control_sensorless_shift_angle Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Phase shift process
	rm_motor_120_control_sensorless_wait_motorstop Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Rotation stop check process
	rm_motor_120_control_sensorless_pattern_set Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Voltage pattern setting process
	rm_motor_120_control_sensorless_pattern_first60 Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter (uint8_t) u1_signal / Voltage pattern Output : None	Non-complementary first 60 degree chopping process
	rm_motor_120_control_sensorless_pattern_first60_comp Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter (uint8_t) u1_signal / Voltage pattern Output : None	Complementary first 60 degree chopping process
	rm_motor_120_control_sensorless_speed_ref_set Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Speed control command value setting process
	rm_motor_120_control_sensorless_voltage_ref_set Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Voltage command value setting process
	rm_motor_120_control_sensorless_pi_ctrl Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	PI control processing
rm_motor_120_control_sensorless_check_timeout_error Input : (motor_120_control_sensorless_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Virtual Hall sensor pattern error judgment processing	

**Table 3-16 List of Functions “rm\_motor\_120\_control\_sensorless.c” [4/4]**

File name	Function name	Process overview
rm_motor_120_control_sensorless.c	rm_motor_120_control_sensorless_lpf Input : (float) f4_lpf_input / LPF input value (float) f4_pre_lpf_output / Previous LPF output value (float) f4_lpf_k / LPF gain Output : (float) f4_temp / LPF output value	LPF process
	rm_motor_120_control_sensorless_limitf Input : (float) f4_value / Input value (float) f4_max / Upper limit (float) f4_min / Lower limit Output : (float) f4_temp / Output value	Upper and lower limit process
	rm_motor_120_control_sensorless_limitf_h Input : (float) f4_value / Input value (float) f4_max / Upper limit Output : (float) f4_temp / Output value	Upper limit process
	rm_motor_120_control_sensorless_limitf_l Input : (float) f4_value / Input value (float) f4_min / Lower limit Output : (float) f4_temp / Output value	Lower limit process
	rm_motor_120_control_sensorless_limitf_abs Input : (float) f4_value / Input value (float) f4_limit_value / Limit value Output : (float) f4_temp / Output value	Absolute value limit process

**Table 3-17 List of Functions “rm\_motor\_120\_driver.c” [1/2]**

File name	Function name	Process overview
rm_motor_120_driver.c	RM_MOTOR_120_DRIVER_Open Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter (motor_120_driver_cfg_t const * const) p_cfg / Configuration parameter Output : (fsp_err_t) err / Result	Driver starts processing for 120-degree control
	RM_MOTOR_120_DRIVER_Close Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	120-degree control driver termination process
	RM_MOTOR_120_DRIVER_Run Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Motor rotation start process
	RM_MOTOR_120_DRIVER_Stop Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Motor rotation stop process
	RM_MOTOR_120_DRIVER_Reset Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	Error state reset process
	RM_MOTOR_120_DRIVER_PhaseVoltageSet Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter (float const) u_voltage / U phase PWM duty (float const) v_voltage / V phase PWM duty (float const) w_voltage / W phase PWM duty Output : (fsp_err_t) err / Result	PWM duty setting process
	RM_MOTOR_120_DRIVER_PhasePatternSet Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter (motor_120_driver_phase_pattern_t const) pattern / Voltage pattern Output : (fsp_err_t) err / Result	PWM output state switching process
	RM_MOTOR_120_DRIVER_CurrentGet Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter (motor_120_driver_current_status_t * const) p_current_status / Current status Output : (fsp_err_t) err / Result	Current and voltage data acquisition process
	RM_MOTOR_120_DRIVER_CurrentOffsetCalc Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter Output : (fsp_err_t) err / Result	A/D value offset calculation process
	RM_MOTOR_120_DRIVER_FlagCurrentOffsetGet Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter (motor_120_driver_flag_offset_calc_t * const) p_flag_offset / offset computation state Output : (fsp_err_t) err / Result	A/D value offset calculation status acquisition process

**Table 3-18 List of Functions “rm\_motor\_120\_driver.c” [2/2]**

File name	Function name	Process overview
rm_motor_120_driver.c	RM_MOTOR_120_DRIVER_ParameterUpdate Input : (motor_120_driver_ctrl_t * const) p_ctrl / Instance parameter (motor_120_driver_cfg_t const * const) p_cfg / Configuration parameter Output : (fsp_err_t) err / Result	Parameter update process
	rm_motor_120_driver_reset Input : (motor_120_driver_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	Instance parameter reset process
	rm_motor_120_driver_output_pwm Input : (motor_120_driver_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	PWM output start process
	rm_motor_120_driver_ctrl_start Input : (motor_120_driver_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	PWM output start processing for motor control
	rm_motor_120_driver_ctrl_stop Input : (motor_120_driver_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	PWM output stop process
	rm_motor_120_driver_set_uvw_duty Input : (motor_120_driver_instance_ctrl_t *) p_ctrl / Instance parameter (float) f_duty_u / U phase PWM duty (float) f_duty_v / V phase PWM duty (float) f_duty_w / W phase PWM duty Output : None	PWM duty setting process
	rm_motor_120_driver_current_get Input : (motor_120_driver_instance_ctrl_t *) p_ctrl / Instance parameter Output : None	A/D value acquisition process
	rm_motor_120_driver_mod_set_max_duty Input : (motor_120_driver_modulation_t *) p_mod/ PWM setting (float) f4_max_duty / Maximum duty Output : None	Maximum duty setting process
	rm_motor_120_driver_mod_set_min_duty Input : (motor_120_driver_modulation_t *) p_mod/ PWM setting (float) f4_max_duty / Minimum duty Output : None	Minimum duty setting process
	rm_motor_120_driver_pin_cfg Input : (bsp_io_port_pin_t) pin / Pin number (uint32_t) cfg / Set value Output : None	Pin configuration setting process
rm_motor_120_driver_cyclic Input : (adc_callback_args_t *) p_args / Callback function parameter Output : None	A/D conversion complete callback function	

### 3.3 Contents of control

#### 3.3.1 Configuration Options

The configuration options for the sensorless 120-degree control module for the motor can be configured using the RA Configurator. The changed options are automatically reflected in `hal_data.c` when the code is generated. Option names and settings are listed in Table 3-19 Configuration Options below.

**Table 3-19 Configuration Options**

Configuration Options (rm_motor_120_degree.h)	
Option name	Contents
Limit of over current (A)	When a phase current exceeds this value, PWM output ports are set to off.
Limit of over voltage (V)	When an inverter voltage exceeds this value, PWM output ports are set to off.
Limit of over speed (rpm)	When a rotation speed exceeds this value, PWM output ports are set to off.
Limit of low voltage (V)	When an inverter voltage becomes below this value, PWM output ports are set to off.

**Table 3-20 Configuration Options Initial Value(rm\_motor\_120\_degree.h)**

Options	RA6T2	RA4T1	RA6T3	RA8T1
Limit of over current (A)	1.67	1.67	1.67	1.67
Limit of over voltage (V)	60.0	60.0	60.0	60.0
Limit of over speed (rpm)	4500.0	4500.0	4500.0	4500.0
Limit of low voltage (V)	8.0	8.0	8.0	8.0

#### 3.3.2 Configuration Options for included modules

The sensorless 120-degree conducting control module for motors includes the following modules.

- 120 control sensorless module
- 120 driver module

In addition, these modules have the same configuration parameters as the sensorless 120-degree conducting control module. The option names and setting values are shown in the table below.

**Table 3-21 Configuration Options**

Configuration Options (rm_motor_120_control_api.h)	
Option name	Contents
General   Conduction type	Switching of first 60 degree chopping control
General   Timeout counts (msec)	Stop judgement counter [ms]
General   Maximum voltage (V)	Maximum command voltage [V]
General   Minimum voltage (V)	Minimum command voltage [V]
General   Speed PI decimation	Interrupt thinning number for speed PI control
General   Free run timer frequency (MHz)	Free run timer frequency [MHz]
General   Speed LPF K	Speed LPF parameter
General   Step of speed change	Speed command maximum increase limit
General   PI control KP	Speed PI proportional gain
General   PI control KI	Speed PI Integral gain
General   PI control limit	Voltage PI control output limit value [V]
Motor Parameter   Pole pairs	Number of pole pairs
Motor Parameter   Resistance (ohm)	Resistance of motor [ohm].
Motor Parameter   Inductance of d-axis (H)	D-axis inductance [H].
Motor Parameter   Inductance of q-axis (H)	Q-axis inductance [H].
Motor Parameter   Permanent magnetic flux (Wb)	Magnetic flux [Wb].
Motor Parameter   Rotor inertia (kgm <sup>2</sup> )	Rotor inertia [kgm <sup>2</sup> ].

**Table 3-22 Configuration Options Initial Value(rm\_motor\_120\_control\_api.h)**

Options	RA6T2	RA4T1	RA6T3	RA8T1
Conduction type	First 60 degree PWM	First 60 degree PWM	First 60 degree PWM	First 60 degree PWM
Timeout counts (msec)	2000	2000	2000	2000
Maximum voltage (V)	20.0	20.0	20.0	20.0
Minimum voltage (V)	3.0	3.0	3.0	3.0
Speed PI decimation	1	1	1	1
Free run timer frequency (MHz)	120	50	50	120
Speed LPF K	1.0	1.0	1.0	1.0
Step of speed reference change	0.2	0.2	0.2	0.2
PI control KP	0.02	0.02	0.02	0.02
PI control KI	0.004	0.004	0.004	0.004
PI control limit	24.0	24.0	24.0	24.0
Motor Parameter   Pole pairs	4	4	4	4
Motor Parameter   Resistance (ohm)	1.3	1.3	1.3	1.3
Motor Parameter   Inductance of d-axis (H)	0.0013	0.0013	0.0013	0.0013
Motor Parameter   Inductance of q-axis (H)	0.0013	0.0013	0.0013	0.0013
Motor Parameter   Permanent magnetic flux (Wb)	0.01119	0.01119	0.01119	0.01119
Motor Parameter   Rotor inertia (kgm <sup>2</sup> )	0.000003666	0.000003666	0.000003666	0.000003666



**Table 3-23 Configuration Options**

Configuration Options (rm_motor_120_control_sensorless.h)	
Option name	Contents
General   Stop BEMF	Value of stop motor BEMF
General   Maximum voltage for BOOT (V)	Maximum command voltage for BOOT MODE [V]
General   Carrier frequency (kHz)	Carrier frequency [kHz]
General   Adjusting angle	Pattern switching timing adjustment value
General   Boot reference voltage (V)	Voltage command value [V]
General   Voltage lamping time	Voltage command value addition time
General   Voltage constant adjust time	Voltage command value constant time
General   Open loop start speed (rpm)	Open loop starting rpm [rpm]
General   Open loop mode2 speed (rpm)	Open loop mode1 change speed [rpm]
General   Open loop mode3 speed (rpm)	Open loop mode2 change speed [rpm]
General   Open loop start voltage (V)	Open loop start reference voltage [V]
General   Open loop mode1 speed rate	Open loop mode1 rate of reference speed [rpm/control period]
General   Open loop mode2 voltage rate	Open loop mode2 rate of reference voltage [V/control period]
General   Open loop mode2 speed rate	Open loop mode2 rate of reference speed [rpm/control period]
General   Open loop mode3 voltage rate	Open loop mode3 rate of reference voltage [V/control period]
General   Open loop maximum voltage (V)	Open loop mode3 Maximum voltage [V]

**Table 3-24 Configuration Options Initial Value(rm\_motor\_120\_control\_sensorless.h)**

Options	RA6T2	RA4T1	RA6T3	RA8T1
Stop BEMF	0.5	0.5	0.5	0.5
Maximum voltage for BOOT (V)	8.0	8.0	8.0	8.0
Carrier frequency (kHz)	20.0	20.0	20.0	20.0
Adjusting angle	0	0	0	0
Boot reference voltage (V)	3.0	3.0	3.0	3.0
Voltage lamping time	128	128	128	128
Voltage constant adjust time	64	64	64	64
Open loop start speed (rpm)	150	150	150	150
Open loop mode2 speed (rpm)	185	185	185	185
Open loop mode3 speed (rpm)	1000	1000	1000	1000
Open loop start voltage (V)	3.0	3.0	3.0	3.0
Open loop mode1 speed rate	0.25	0.25	0.25	0.25
Open loop mode2 voltage rate	0.00285	0.00285	0.00285	0.00285
Open loop mode2 speed rate	0.71	0.71	0.71	0.71
Open loop mode3 voltage rate	0.002	0.002	0.002	0.002
Open loop maximum voltage (V)	6.5	6.5	6.5	6.5

Table 3-25 Configuration Options [1/2]

Configuration Options (rm_motor_120_driver.h)	
Option name	Contents
Common   ADC_B Support	ADC_B module support
Common   Shared ADC Support	Shared ADC module support
General   PWM output port UP	PWM output (Up) port
General   PWM output port UN	PWM output (Un) port
General   PWM output port VP	PWM output (Vp) port
General   PWM output port VN	PWM output (Vn) port
General   PWM output port WP	PWM output (Wp) port
General   PWM output port WN	PWM output (Wn) port
General   PWM timer frequency (MHz)	PWM timer frequency [MHz]
General   PWM carrier period (Microseconds)	PWM carrier frequency [Micro seconds]
General   Dead time (Raw counts)	Dead time count [Raw counts]
General   Current range (A)	Current detection range [A]
General   Voltage range (V)	Voltage detection range [V]
General   Resolution of A/D conversion	A/D conversion value
General   Offset of A/D conversion for current	A/D conversion offset
General   Conversion level of A/D conversion for voltage	Voltage A/D conversion rate
General   Counts for current offset measurement	Offset value calculation count
General   Input voltage	Bus voltage
General   A/D conversion channel for U phase current	U phase current detection channel
General   A/D conversion channel for W phase current	W phase current detection channel
General   A/D conversion channel for main line voltage	Inverter bus voltage detection channel
General   A/D conversion channel for U phase voltage	U phase voltage detection channel
General   A/D conversion channel for V phase voltage	V phase voltage detection channel
General   A/D conversion channel for W phase voltage	W phase voltage detection channel
General   A/D conversion unit for U phase current	Select the A/D conversion module for U phase current
General   A/D conversion unit for W phase current	Select the A/D conversion module for W phase current
General   A/D conversion unit for main line voltage	Select the A/D conversion module for main line voltage
General   A/D conversion unit for U phase voltage	Select the A/D conversion module for U phase voltage
General   A/D conversion unit for V phase voltage	Select the A/D conversion module for V phase voltage
General   A/D conversion unit for W phase voltage	Select the A/D conversion module for W phase voltage
General   GTIOCA stop level	Level when the upper arm is stopped
General   GTIOCB stop level	Level when lower arm is stopped
Modulation   Maximum duty	PWM maximum duty

**Table 3-26 Configuration Options Initial Value(rm\_motor\_120\_driver.h) [1/2]**

Options	RA6T2	RA4T1	RA6T3	RA8T1
ADC_B Support	Enabled	Disabled	Disabled	Disabled
Shared ADC Support	Disabled	Disabled	Disabled	Enabled
PWM output port UP	BSP_IO_PORT_11 _PIN_04	BSP_IO_PORT_04 _PIN_09	BSP_IO_PORT_04 _PIN_09	BSP_IO_PORT _01_PIN_15
PWM output port UN	BSP_IO_PORT_11 _PIN_05	BSP_IO_PORT_04 _PIN_08	BSP_IO_PORT_04 _PIN_08	BSP_IO_PORT _06_PIN_09
PWM output port VP	BSP_IO_PORT_11 _PIN_06	BSP_IO_PORT_01 _PIN_03	BSP_IO_PORT_01 _PIN_03	BSP_IO_PORT _01_PIN_13
PWM output port VN	BSP_IO_PORT_11 _PIN_07	BSP_IO_PORT_01 _PIN_02	BSP_IO_PORT_01 _PIN_02	BSP_IO_PORT _01_PIN_14
PWM output port WP	BSP_IO_PORT_11 _PIN_08	BSP_IO_PORT_01 _PIN_11	BSP_IO_PORT_01 _PIN_11	BSP_IO_PORT _03_PIN_00
PWM output port WN	BSP_IO_PORT_11 _PIN_09	BSP_IO_PORT_01 _PIN_12	BSP_IO_PORT_01 _PIN_12	BSP_IO_PORT _01_PIN_12
PWM timer frequency (MHz)	120	100	100	120
PWM carrier period (Microseconds)	50	50	50	50
Dead time (Raw counts)	240	200	200	240
Current range (A)	16.5	16.5	16.5	16.5
Voltage range (V)	73.26	73.26	73.26	73.26
Resolution of A/D conversion	0xFFFF	0xFFFF	0xFFFF	0xFFFF
Offset of A/D conversion for current	0x7FF	0x7FF	0x7FF	0x7FF
Conversion level of A/D conversion for voltage	1.0	1.0	1.0	1.0
Counts for current offset measurement	500	500	500	500
Input voltage	24.0	24.0	24.0	24.0
A/D conversion channel for U phase current	ADC_CHANNEL_4	ADC_CHANNEL_0	ADC_CHANNEL_0	ADC_CHANNEL_0
A/D conversion channel for W phase current	ADC_CHANNEL_0	ADC_CHANNEL_2	ADC_CHANNEL_2	ADC_CHANNEL_2
A/D conversion channel for main line voltage	ADC_CHANNEL_6	ADC_CHANNEL_4	ADC_CHANNEL_4	ADC_CHANNEL_8
A/D conversion channel for U phase voltage	ADC_CHANNEL_7	ADC_CHANNEL_16	ADC_CHANNEL_16	ADC_CHANNEL_6
A/D conversion channel for V phase voltage	ADC_CHANNEL_3	ADC_CHANNEL_12	ADC_CHANNEL_12	ADC_CHANNEL_5
A/D conversion channel for W phase voltage	ADC_CHANNEL_1	ADC_CHANNEL_11	ADC_CHANNEL_11	ADC_CHANNEL_5
A/D conversion unit for U phase current	-	0	0	0
A/D conversion unit for W phase current	-	0	0	0
A/D conversion unit for main line voltage	-	0	0	0
A/D conversion unit for U phase voltage	-	0	0	1
A/D conversion unit for V phase voltage	-	0	0	0
A/D conversion unit for W phase voltage	-	0	0	1

Table 3-27 Configuration Options Initial Value(rm\_motor\_120\_driver.h) [2/2]

Options	RA6T2	RA4T1	RA6T3	RA8T1
GTIOCA stop level	Pin Level Low	Pin Level Low	Pin Level Low	Pin Level Low
GTIOCB stop level	Pin Level High	Pin Level High	Pin Level High	Pin Level High
ADC interrupt module	-	-	-	1st
Modulation   Maximum duty	0.9375	0.9375	0.9375	0.9375

### 3.4 Control flows (flow charts)

#### 3.4.1 Main process




Figure 3-7 Main Process Flowchart

3.4.2 Current Control Periodic interrupt (carrier periodic interrupt) handling




Figure 3-8 Current Control Periodic Interrupt Handling

3.4.3 Speed Control periodic interrupt handling




Figure 3-9 Speed Control Periodic Interrupt Handling

### 3.4.4 Overcurrent interrupt handling

The overcurrent detection interrupt is an interrupt that occurs when an external overcurrent detection signal is input. The PWM output terminal are put in the high impedance state. Therefore, at the start of execution of this interrupt processing, the PWM output terminal is already in the high impedance state and the output to the motor had been stopped.




Figure 3-10 Overcurrent Detection Interrupt Handling



## 4. Evaluation environment explanation

This application note describes the target software.

### 4.1 Project import

The sample software can be imported into e2 studio by following the steps below.

1. File → Import




Figure 4-1 File Menu

2. Select "Existing Projects into Workspace" and click the [Next] button.




Figure 4-2 Import Menu

3. Select a project file. Click the Finish button to import the project.




Figure 4-3 Project Import

## 4.2 Build and debug

Please refer to “e2 studio User’s Manual Starting Guide (R20UT4204)”.

### 4.3 Quick start

To operate the sample code without using the motor control development support tool "Renesas Motor Workbench", execute the quick start sample project according to the following procedure.

- (1) After the regulated power is turned on or reset, all LEDs 1 and 2 on the inverter board are off and the motor is stopped.
- (2) Turn on the toggle switch (SW1) on the inverter board to rotate the motor. Every time the toggle switch (SW1) is switched, the motor starts / stops rotating repeatedly. When the motor is rotating normally, LED1 on the inverter board lights up. At this time, if LED2 on the inverter board is lit, an error has occurred.
- (3) When changing the rotation direction of the motor, adjust it with the volume resistor (VR1) on the inverter board.
  - Turn volume resistor (VR1) clockwise : Motor rotates clockwise
  - Turn the volume resistor (VR1) counterclockwise : The motor rotates counterclockwise
- (4) If an error occurs, LED2 on the inverter board lights up and rotation stops. To recover, turn off the toggle switch (SW1) on the inverter board and then press the push switch (SW2).
- (5) When you finish the operation check, check that the rotation of the motor is stopped, and turn off the output of the regulated power supply.

## 4.4 Motor Control Development Support Tool, 'Renesas Motor Workbench'

### 4.4.1 Overview

In the target sample programs described in this application note, user interfaces (rotating/stop command, rotation speed command, etc.) based on the motor control development support tool, 'Renesas Motor Workbench' can be used. Please refer to 'Renesas Motor Workbench User's Manual' for usage and more details. You can find 'Renesas Motor Workbench' on Renesas Electronics Corporation website.





Figure 4-4 Renesas Motor Workbench - Appearance

### Set up for Renesas Motor Workbench

- ① Start 'Motor RSK Support Tool' by clicking this icon. 
- ② Drop down menu [File] → [Open RMT File(O)].  
And select RMT file in "src/application/user\_interface/ics".
- ③ Use the 'Connection' COM select menu to choose the COM port for Motor RSK.
- ④ Click on the 'Analyzer' icon of Select Tool panel to open Analyzer function window.
- ⑤ Please refer to '4.5.2 Easy function operation example' or '4.5.4 Operation Example for Analyzer' for motor driving operation.

#### 4.4.2 Easy function operation example

The following is an example of operating the motor using the Easy function.

- Change the user interface to use Renesas Motor Workbench
  - (1) Turn on "RMW UI".




Figure 4-1 Procedure for changing to use Renesas Motor Workbench

- Change the user interface to use Renesas Motor Workbench
  - (1) Press the "Run" button




Figure 4-2 Motor rotation procedure

- Stop the motor
  - (1) Press the "Stop" button




Figure 4-3 Motor rotation procedure

- Processing when it stops (error)
  - (1) Turn on "Reset" button.
  - (2) Turn off "Reset" button




Figure 4-4 Error clearing procedure

## 4.4.3 List of variables for Analyzer function

Table 4-1 shows a list of input variables when using the Analyzer user interface. The input values to these variables will be reflected in the corresponding variables when the same values as `g_u1_enable_write` are written to `com_u1_enable_write`. However, variables marked with (\*) do not depend on `com_u1_enable_write`.

Table 4-1 List of variables for analyzer function input [1/2]

Variable name	Type	Contents
<code>com_u1_mode_system(*)</code>	<code>uint8_t</code>	State management 0 : Stop mode, 1 : Run mode, 3 : Reset
<code>com_f4_ref_speed_rpm</code>	<code>float</code>	Speed command value (mechanical angle) [rpm]
<code>com_f4_overcurrent_limit</code>	<code>float</code>	High current limit value [A]
<code>com_f4_overvoltage_limit</code>	<code>float</code>	High voltage limit value [V]
<code>com_f4_overspeed_limit_rpm</code>	<code>float</code>	Speed limit value (mechanical angle) [rpm]
<code>com_f4_lowvoltage_limit</code>	<code>float</code>	Low voltage limit value [V]
<code>com_u4_timeout_cnt</code>	<code>uint32_t</code>	Timeout count limit
<code>com_f4_max_drive_v</code>	<code>float</code>	Maximum command voltage [V]
<code>com_f4_min_drive_v</code>	<code>float</code>	Minimum command voltage [V]
<code>com_s4_angle_shift_adjust</code>	<code>int32_t</code>	Pattern switching timing adjustment value
<code>com_f4_speed_lpf_k</code>	<code>float</code>	Speed LPF parameter
<code>com_f4_limit_speed_change</code>	<code>float</code>	Command speed changing limit
<code>com_f4_boot_ref_v</code>	<code>float</code>	Voltage command value
<code>com_u4_v_up_time</code>	<code>uint32_t</code>	Voltage command value addition time
<code>com_u4_v_const_time</code>	<code>uint32_t</code>	Voltage command value constant time
<code>com_s4_ol_start_rpm</code>	<code>int32_t</code>	Speed at startup
<code>com_s4_ol_mode1_change_rpm</code>	<code>int32_t</code>	Mode1 changing speed
<code>com_s4_ol_mode2_change_rpm</code>	<code>int32_t</code>	Mode2 changing speed
<code>com_f4_ol_start_refv</code>	<code>float</code>	Command voltage at startup
<code>com_f4_ol_mode1_rate_rpm</code>	<code>float</code>	Command speed adding value
<code>com_f4_ol_mode2_rate_refv</code>	<code>float</code>	Command voltage adding value
<code>com_f4_ol_mode2_rate_rpm</code>	<code>float</code>	Command speed adding value
<code>com_f4_ol_mode3_rate_refv</code>	<code>float</code>	Command voltage adding value
<code>com_f4_ol_mode3_max_refv</code>	<code>float</code>	Maximum command voltage in open loop mode
<code>com_f4_pi_ctrl_kp</code>	<code>float</code>	Speed PI proportional gain
<code>com_f4_pi_ctrl_ki</code>	<code>float</code>	Speed PI Integral gain
<code>com_f4_pi_ctrl_ilimit</code>	<code>float</code>	Voltage PI control output limit value [V]
<code>com_u4_mtr_pp</code>	<code>uint32_t</code>	Motor Pole pairs
<code>com_u1_enable_write</code>	<code>uint8_t</code>	Enable to rewriting variables (Write permission when the same value as <code>g_u1_enable_write</code> is written)

#### 4.4.4 Operation Example for Analyzer

Following example shows motor driving operation using Analyzer. Operation is using “Control Window” as shown in Figure 4-4. Regarding specification of “Control Window”, refer to ‘Renesas Motor Workbench User’s Manual’.

- Change the user interface to use Analyzer
  - ① Make sure that "check" is entered in the [W?] box of "com\_u1\_sw\_userif".
  - ② Enter 0 in the [Write] box.
  - ③ Click the “Write” button.
- Driving the motor
  - ① The [W?] check boxes contain checkmarks for “com\_u1\_mode\_system”, “com\_f4\_ref\_speed\_rpm”, “com\_u1\_enable\_write”.
  - ② Type a reference speed value in the [Write] box of “com\_f4\_ref\_speed\_rpm”.
  - ③ Click the “Write” button.
  - ④ Click the “Read” button. Confirm the [Read] box of “com\_f4\_ref\_speed\_rpm”, “g\_u1\_enable\_write”.
  - ⑤ Enter the value of “g\_u1\_enable\_write” in the [Write] box of “com\_u1\_enable\_write”.
  - ⑥ Enter “1” in the [Write] box of “com\_u1\_mode\_system”.
  - ⑦ Click the “Write” button.




Figure 4-5 Procedure – Driving the motor

- Stop the motor
  - ① Enter “0” in the [Write] box of “com\_u1\_mode\_system”.
  - ② Click the “Write” button.




Figure 4-6 Procedure – Stop the motor



- Error cancel operation
  - ① Enter “3” in the [Write] box of “com\_u1\_mode\_system”.
  - ② Click the “Write” button.




Figure 4-7 Procedure – Error cancel operation

#### 4.4.5 Example of changing communication speed

The procedure for changing the communication speed of Renesas Motor Workbench with the sample software is shown below. See the Renesas Motor Workbench User's Manual for the values to change.

- Change the communication speed setting of the sample software (when the required communication rate is 10 Mbps)
  - (1) Change the value of ICS\_BRR in r\_mtr\_ics.h to 1.
  - (2) Change the value of MTR\_ICS\_DECIMATION in r\_mtr\_ics.h to 1.

```

#define MTR_ICS_DECIMATION (1)

/* For ICS */
#define ICS_BRR (1)
#define ICS_INT_MODE (1)

```

Figure 4-5 Modification of r\_mtr\_ics.h

- Change the communication speed setting of Renesas Motor Workbench to connect
  - (1) Press the Clock button on the Main Window to change the value to 80,000,000  
This value was calculated by multiplying the default 8,000,000 by 10 because the UART communication baud rate was changed from 1Mbps to 10Mbps.
  - (2) Select the COM of the connected kit in the COM of Connection




Figure 4-6 Clock frequency setting

If the connection fails, repeat the procedure for reconnecting after resetting the communication board.

#### 4.4.6 How to use the built-in communication library

The procedure for connecting to Renesas Motor Workbench using the built-in communication library without using the communication board with the sample software is shown below.

- Connection between PC and CPU board
  - (1) Connect the CPU board and PC via a USB / serial conversion board, etc.
- Preparing a project for built-in communication (example of RA6T2 921600bps)
  - (1) Cancel the registration of ICS2\_RA6T2.o




Figure 4-7 Unregister ICS2\_RA6T2.o

(2) Register ICS2\_RA6T2\_Built\_in.o




Figure 4-8 Register ICS2\_RA6T2.o

(3) Change the value of USE\_BUILT\_IN in r\_mtr\_ics.h to 1.




Figure 4-9 Modification of r\_mtr\_ics.h

- Change the communication baud rate setting of Renesas Motor Workbench to connect
  - (1) Change the value to 921,600 with Baud rate Dialog from the Option menu of the Main Window.
  - (2) Select the COM port of the connected kit in the COM of Connection.




Figure 4-10 Baud rate setting

## 5. Reference document

RA6T2 Group User's Manual: Hardware (R01UH0951)

RA4T1 Group User's Manual: Hardware (R01UH0998)

RA6T3 Group User's Manual: Hardware (R01UH0999)

RA8T1 Group User's Manual: Hardware (R01UH1016)

RA Flexible Software Package Documentation

120-degree conducting control of permanent magnetic synchronous motor (Algorithm) (R01AN2657)

Renesas Motor Workbench User's Manual (R21UZ0004)

Renesas Motor Workbench Quick start guide (R21QS0011)

MCK-RA6T2 User's Manual (R12UZ0091)

MCK-RA4T1 User's Manual (R12UZ0114)

MCK-RA6T3 User's Manual (R12UZ0115)

MCK-RA8T1 User's Manual (R12UZ0133)

### Revision History

Rev.	Data of issue	Descriptions	
		Page	Summary
1.00	May 23, 2023	-	First edition issued.
1.10	Jan 23, 2024	-	Added description related to RA8T1

# General Precautions in the Handling of Microprocessing Unit and Microcontroller Unit Products

The following usage notes are applicable to all Microprocessing unit and Microcontroller unit products from Renesas. For detailed usage notes on the products covered by this document, refer to the relevant sections of the document as well as any technical updates that have been issued for the products.

## 1. Precaution against Electrostatic Discharge (ESD)

A strong electrical field, when exposed to a CMOS device, can cause destruction of the gate oxide and ultimately degrade the device operation. Steps must be taken to stop the generation of static electricity as much as possible, and quickly dissipate it when it occurs. Environmental control must be adequate. When it is dry, a humidifier should be used. This is recommended to avoid using insulators that can easily build up static electricity. Semiconductor devices must be stored and transported in an anti-static container, static shielding bag or conductive material. All test and measurement tools including work benches and floors must be grounded. The operator must also be grounded using a wrist strap. Semiconductor devices must not be touched with bare hands. Similar precautions must be taken for printed circuit boards with mounted semiconductor devices.

## 2. Processing at power-on

The state of the product is undefined at the time when power is supplied. The states of internal circuits in the LSI are indeterminate and the states of register settings and pins are undefined at the time when power is supplied. In a finished product where the reset signal is applied to the external reset pin, the states of pins are not guaranteed from the time when power is supplied until the reset process is completed. In a similar way, the states of pins in a product that is reset by an on-chip power-on reset function are not guaranteed from the time when power is supplied until the power reaches the level at which resetting is specified.

## 3. Input of signal during power-off state

Do not input signals or an I/O pull-up power supply while the device is powered off. The current injection that results from input of such a signal or I/O pull-up power supply may cause malfunction and the abnormal current that passes in the device at this time may cause degradation of internal elements. Follow the guideline for input signal during power-off state as described in your product documentation.

## 4. Handling of unused pins

Handle unused pins in accordance with the directions given under handling of unused pins in the manual. The input pins of CMOS products are generally in the high-impedance state. In operation with an unused pin in the open-circuit state, extra electromagnetic noise is induced in the vicinity of the LSI, an associated shoot-through current flows internally, and malfunctions occur due to the false recognition of the pin state as an input signal become possible.

## 5. Clock signals

After applying a reset, only release the reset line after the operating clock signal becomes stable. When switching the clock signal during program execution, wait until the target clock signal is stabilized. When the clock signal is generated with an external resonator or from an external oscillator during a reset, ensure that the reset line is only released after full stabilization of the clock signal. Additionally, when switching to a clock signal produced with an external resonator or by an external oscillator while program execution is in progress, wait until the target clock signal is stable.

## 6. Voltage application waveform at input pin

Waveform distortion due to input noise or a reflected wave may cause malfunction. If the input of the CMOS device stays in the area between  $V_{IL}$  (Max.) and  $V_{IH}$  (Min.) due to noise, for example, the device may malfunction. Take care to prevent chattering noise from entering the device when the input level is fixed, and also in the transition period when the input level passes through the area between  $V_{IL}$  (Max.) and  $V_{IH}$  (Min.).

## 7. Prohibition of access to reserved addresses

Access to reserved addresses is prohibited. The reserved addresses are provided for possible future expansion of functions. Do not access these addresses as the correct operation of the LSI is not guaranteed.

## 8. Differences between products

Before changing from one product to another, for example to a product with a different part number, confirm that the change will not lead to problems. The characteristics of a microprocessing unit or microcontroller unit products in the same group but having a different part number might differ in terms of internal memory capacity, layout pattern, and other factors, which can affect the ranges of electrical characteristics, such as characteristic values, operating margins, immunity to noise, and amount of radiated noise. When changing to a product with a different part number, implement a system-evaluation test for the given product.



## Notice

1. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation or any other use of the circuits, software, and information in the design of your product or system. Renesas Electronics disclaims any and all liability for any losses and damages incurred by you or third parties arising from the use of these circuits, software, or information.
2. Renesas Electronics hereby expressly disclaims any warranties against and liability for infringement or any other claims involving patents, copyrights, or other intellectual property rights of third parties, by or arising from the use of Renesas Electronics products or technical information described in this document, including but not limited to, the product data, drawings, charts, programs, algorithms, and application examples.
3. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
4. You shall be responsible for determining what licenses are required from any third parties, and obtaining such licenses for the lawful import, export, manufacture, sales, utilization, distribution or other disposal of any products incorporating Renesas Electronics products, if required.
5. You shall not alter, modify, copy, or reverse engineer any Renesas Electronics product, whether in whole or in part. Renesas Electronics disclaims any and all liability for any losses or damages incurred by you or third parties arising from such alteration, modification, copying or reverse engineering.
6. Renesas Electronics products are classified according to the following two quality grades: "Standard" and "High Quality". The intended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below.  
"Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; industrial robots; etc.  
"High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control (traffic lights); large-scale communication equipment; key financial terminal systems; safety control equipment; etc.  
Unless expressly designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not intended or authorized for use in products or systems that may pose a direct threat to human life or bodily injury (artificial life support devices or systems; surgical implantations; etc.), or may cause serious property damage (space system; undersea repeaters; nuclear power control systems; aircraft control systems; key plant systems; military equipment; etc.). Renesas Electronics disclaims any and all liability for any damages or losses incurred by you or any third parties arising from the use of any Renesas Electronics product that is inconsistent with any Renesas Electronics data sheet, user's manual or other Renesas Electronics document.
7. No semiconductor product is absolutely secure. Notwithstanding any security measures or features that may be implemented in Renesas Electronics hardware or software products, Renesas Electronics shall have absolutely no liability arising out of any vulnerability or security breach, including but not limited to any unauthorized access to or use of a Renesas Electronics product or a system that uses a Renesas Electronics product. RENESAS ELECTRONICS DOES NOT WARRANT OR GUARANTEE THAT RENESAS ELECTRONICS PRODUCTS, OR ANY SYSTEMS CREATED USING RENESAS ELECTRONICS PRODUCTS WILL BE INVULNERABLE OR FREE FROM CORRUPTION, ATTACK, VIRUSES, INTERFERENCE, HACKING, DATA LOSS OR THEFT, OR OTHER SECURITY INTRUSION ("Vulnerability Issues"). RENESAS ELECTRONICS DISCLAIMS ANY AND ALL RESPONSIBILITY OR LIABILITY ARISING FROM OR RELATED TO ANY VULNERABILITY ISSUES. FURTHERMORE, TO THE EXTENT PERMITTED BY APPLICABLE LAW, RENESAS ELECTRONICS DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT AND ANY RELATED OR ACCOMPANYING SOFTWARE OR HARDWARE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.
8. When using Renesas Electronics products, refer to the latest product information (data sheets, user's manuals, application notes, "General Notes for Handling and Using Semiconductor Devices" in the reliability handbook, etc.), and ensure that usage conditions are within the ranges specified by Renesas Electronics with respect to maximum ratings, operating power supply voltage range, heat dissipation characteristics, installation, etc. Renesas Electronics disclaims any and all liability for any malfunctions, failure or accident arising out of the use of Renesas Electronics products outside of such specified ranges.
9. Although Renesas Electronics endeavors to improve the quality and reliability of Renesas Electronics products, semiconductor products have specific characteristics, such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Unless designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not subject to radiation resistance design. You are responsible for implementing safety measures to guard against the possibility of bodily injury, injury or damage caused by fire, and/or danger to the public in the event of a failure or malfunction of Renesas Electronics products, such as safety design for hardware and software, including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult and impractical, you are responsible for evaluating the safety of the final products or systems manufactured by you.
10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. You are responsible for carefully and sufficiently investigating applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive, and using Renesas Electronics products in compliance with all these applicable laws and regulations. Renesas Electronics disclaims any and all liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
11. Renesas Electronics products and technologies shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations. You shall comply with any applicable export control laws and regulations promulgated and administered by the governments of any countries asserting jurisdiction over the parties or transactions.
12. It is the responsibility of the buyer or distributor of Renesas Electronics products, or any other party who distributes, disposes of, or otherwise sells or transfers the product to a third party, to notify such third party in advance of the contents and conditions set forth in this document.
13. This document shall not be reprinted, reproduced or duplicated in any form, in whole or in part, without prior written consent of Renesas Electronics.
14. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products.

(Note1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its directly or indirectly controlled subsidiaries.

(Note2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.

(Rev.5.0-1 October 2020)

## Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu,

Koto-ku, Tokyo 135-0061, Japan

[www.renesas.com](http://www.renesas.com)

## Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

## Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:

[www.renesas.com/contact/](http://www.renesas.com/contact/).