

---

[Released on the Web]

R20TS1048EJ0100

Rev.1.00

## Solution Toolkit QE for Display[RX] V3.3.0 Standalone Version: Aug. 05, 2024 Development Assistance Tool for Display Applications

---

### Outline

QE for Display, a development assistance tool for Display Applications, has released a standalone version of QE for Display[RX] V3.3.0 for RX devices.

This product is available free of charge.

Note: Although this product is newly released, its version number starts from V3.3.0.

### 1. Product Features

QE for Display[RX] V3.3.0 is a standalone version.

By using this product, you can shorten the development period by creating projects for CS+ and third-party IDEs in the following embedded system development, and easily adjusting the initial display connection (display timing adjustment, image quality adjustment) and creating GUIs.

- Display GUI on LCD using Graphic LCD Controller (a display controller mounted on the RX Family of MCUs) image display function, emWin GUI software package and Aeropoint GUI for RX.
- Display GUI on a serial-connected LCD using serial communication in the RX Family and the emWin GUI software package.

### 2. Supported Devices

RX Family:

- GLCDC Function
  - RX600 Series RX65N groups\*, RX651 groups\*, RX66N groups  
\* ROM capacity: 1.5MB to 2MB only
  - RX700 Series RX72M groups(100-pin is not supported.), RX72N groups
- Serial Connection Function  
All RX Series (Only microcontrollers supported by Smart Configurator.)

### 3. Operating Environment

- Windows® 10、Windows® 11
- CS+ for CC V8.11.00 (or later)
- IAR EW for Renesas RX V5.10.1 (or later)
- RX Smart Configurator V2.22.0 (or later)

### 4. Obtaining the Product

Obtain the product from the URL below.

<https://www.renesas.com/qe-display/#tab-release-information>

Please refer to the release note for this product for installation instructions, caveats and limitations.

For how to use the product, refer to select [Help Contents] from the [Help] menu.

**Revision History**

Rev.	Date	Description	
		Page	Summary
1.00	Aug.05.24	-	First edition issued

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

The URLs in the Tool News also may be subject to change or become invalid without prior notice.

**Corporate Headquarters**

TOYOSU FORESIA, 3-2-24 Toyosu,  
Koto-ku, Tokyo 135-0061, Japan  
[www.renesas.com](http://www.renesas.com)

**Trademarks**

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

**Contact information**

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:  
[www.renesas.com/contact/](http://www.renesas.com/contact/)