



58PIN PLASTIC QFP (10×20)



detail of lead end



NOTE

Each lead centerline is located within 0.20 mm (0.008 inch) of its true position (T.P.) at maximum material condition.

ITEM	MILLIMETERS	INCHES
A	24.4±0.4	0.961 ^{+0.016} _{-0.017}
B	20.2±0.2	0.795 ^{+0.009} _{-0.008}
C	10.6±0.2	0.417 ^{+0.009} _{-0.008}
D	14.8±0.4	0.583 ^{+0.016} _{-0.017}
F	0.8	0.031
G	1.1	0.043
H	0.50±0.10	0.020 ^{+0.004} _{-0.005}
I	0.20	0.008
J	1.0 (T.P.)	0.039 (T.P.)
K	2.1±0.2	0.083 ^{+0.008} _{-0.009}
L	1.0±0.2	0.039 ^{+0.009} _{-0.008}
M	0.15 ^{+0.10} _{-0.05}	0.006 ^{+0.004} _{-0.003}
N	0.15	0.006
P	2.05 ^{+0.2} _{-0.1}	0.081 ^{+0.008} _{-0.005}
Q	0.1±0.1	0.004±0.004
S	2.45 MAX.	0.097 MAX.
V	0.55±0.10	0.022 ^{+0.004} _{-0.005}
W	φ2.0	φ0.079
X	10.0±0.1	0.394 ^{+0.004} _{-0.005}